Table 32. Summary of measured constituents and properties for Arkansas River at La Junta, Co., station 07123000

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; **, Geometric mean; See Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	1990-2010	85	0	8.9	216	3,290	08/10/99	51.1	704	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2011	2	0	42.6	57.5	72.3	12/08/10	42.6	72.3	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	1990-2002	40	0	6.5	8.2	12.2	03/03/99	6.9	10.9	5.0	0	--	--	--	L
pH, in standard units	1990-2010	68	0	7.7	8.3	8.6	10/24/90	8.1	8.4	6.5-9.0	0		--	--	L
pH, in standard units	2011	1	0	8.4	8.4	8.4	10/05/10	8.4	8.4	6.5-9.0	0		--	--	L
pH, laboratory, in standard units	1990-2002	39	0	7.7	8.1	8.4	04/12/90	8.0	8.3	6.5-9.0	0		--	0.10	L
Specific conductance, laboratory, in microsiemens per centimeter	1990-2010	39	0	712	1,654	2,580	03/03/99	943	2,431	--	--	.	--	5.0	--
Specific conductance, in microsiemens per centimeter	1990-2010	91	0	697	1,510	2,610	05/09/91	946	2,236	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2011	2	0	1,856	2,103	2,350	12/08/10	1,856	2,350	--	--	.	--	--	--
Temperature, degrees Celsius	1990-2010	69	0	0.0	19.5	32.0	09/04/02	8.3	25.6	30.0	1	--	--	--	L
Temperature, degrees Celsius	2011	2	0	1.4	12.5	23.6	10/05/10	1.4	23.6	30.0	--	--	--	--	L
Hardness, in milligrams per liter	1998-2010	22	0	253	635	1,207	03/03/99	325	950	--	--	.	--	--	--
Hardness, in milligrams per liter	2011	1	0	798	798	798	10/05/10	798	798	--	--	.	--	--	--
Calcium, in milligrams per liter	1998-2010	22	0	69.4	165	302	03/03/99	86.4	244	--	--	.	--	0.044	--
Calcium, in milligrams per liter	2011	1	0	208	208	208	10/05/10	208	208	--	--	.	--	0.022	--
Magnesium, in milligrams per liter	1998-2010	22	0	19.4	52.2	110	03/03/99	27.0	85.6	--	--	.	--	0.016	--
Magnesium, in milligrams per liter	2011	1	0	67.4	67.4	67.4	10/05/10	67.4	67.4	--	--	.	--	0.0080	--
Potassium, in milligrams per liter	2002-2010	14	0	3.3	4.6	8.4	10/22/09	3.5	5.4	--	--	.	--	0.064	--
Potassium, in milligrams per liter	2011	1	0	4.4	4.4	4.4	10/05/10	4.4	4.4	--	--	.	--	0.022	--
Sodium, in milligrams per liter	2002-2010	14	0	45.5	109	174	07/23/02	49.8	153	--	--	.	--	0.10	--
Sodium, in milligrams per liter	2011	1	0	134	134	134	10/05/10	134	134	--	--	.	--	0.060	--
Acid neutralizing capacity, in milligrams per liter	2009-2010	12	0	148	210	293	07/29/09	149	245	--	--	.	--	8.0	--
Acid neutralizing capacity, in milligrams per liter	2011	1	0	210	210	210	10/05/10	210	210	--	--	.	--	4.0	--
Chloride, in milligrams per liter	2002-2010	14	0	15.4	36.9	54.8	12/16/09	16.9	53.1	250	0	.	--	0.12	L
Chloride, in milligrams per liter	2011	1	0	45.6	45.6	45.6	10/05/10	45.6	45.6	250	0	.	--	0.060	L
Fluoride, in milligrams per liter	2002-2010	14	0	0.45	0.94	1.2	07/23/02	0.69	1.1	--	--	.	--	0.080	--
Fluoride, in milligrams per liter	2011	1	0	1.0	1.0	1.0	10/05/10	1.0	1.0	--	--	.	--	0.040	--
Silica, in milligrams per liter	2002-2010	5	0	7.2	10.9	13.0	08/19/10	7.2	13.0	--	--	.	--	0.10	--
Silica, in milligrams per liter	2011	1	0	13.5	13.5	13.5	10/05/10	13.5	13.5	--	--	.	--	0.11	--
Sulfate, in milligrams per liter	1998-2010	29	0	234	678	1,400	03/03/99	320	1,058	902	10	.	--	0.18	H
Sulfate, in milligrams per liter	2011	1	0	814	814	814	10/05/10	814	814	902	0	.	--	0.090	M
Dissolved solids, sum of constituents, in milligrams per liter	2009-2010	12	0	502	1,120	1,785	12/16/09	636	1,587	--	--	.	--	--	--
Dissolved solids, sum of constituents, in milligrams per liter	2011	1	0	1,425	1,425	1,425	10/05/10	1,425	1,425	--	--	.	--	--	--
Residue, in milligrams per liter	1990-2010	50	0	465	1,199	2,140	12/18/90	663	1,967	--	--	.	--	10.0	--
Residue, in milligrams per liter	2011	1	0	1,521	1,521	1,521	10/05/10	1,521	1,521	--	--	.	--	12.0	--

Table 32. Summary of measured constituents and properties for Arkansas River at La Junta, Co., station 07123000

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; **, Geometric mean; See Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter	2002-2010	4	0	0.692	0.832	1.16	07/27/10	0.692	1.16	--	--	--	--	0.10	--
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter	2011	1	0	0.420	0.420	0.420	10/05/10	0.420	0.420	--	--	--	--	0.050	--
Ammonia nitrogen, in milligrams per liter	1993-2010	21	4	0 *	0.030	0.074	04/28/99	0 *	0.052	1.41	0	5.64	0	0.020	L
Ammonia nitrogen, in milligrams per liter	2011	1	1	0 *	0 *	0 *	10/05/10	0 *	0 *	0.78	0	4.28	0	0.010	L
Ammonia, unfiltered, in milligrams per liter	1990-1993	22	1	0 *	0.040	0.250	03/29/91	0.020	0.111	--	--	--	--	--	--
Nitrite plus nitrate, in milligrams per liter	1993-2010	28	0	0.996	2.77	7.29	10/27/99	1.25	3.87	10.0	0	--	--	0.016	L
Nitrite plus nitrate, in milligrams per liter	2011	1	0	2.45	2.45	2.45	10/05/10	2.45	2.45	10.0	0	--	--	0.0080	L
Nitrate plus nitrite, unfiltered, in milligrams per liter	1990-1993	22	0	0.900	2.25	4.60	04/17/91	1.35	4.13	--	--	--	--	--	--
Nitrate, in milligrams per liter	2002-2010	4	0	1.17	2.37	3.08	09/04/02	1.17	3.08	10.0	0	--	--	--	L
Nitrate, in milligrams per liter	2011	1	0	2.44	2.44	2.44	10/05/10	2.44	2.44	10.0	0	--	--	--	L
Nitrite nitrogen, in milligrams per liter	2002-2010	4	0	0.007	0.011	0.027	09/04/02	0.007	0.027	0.05	0	--	--	0.0020	M
Nitrite nitrogen, in milligrams per liter	2011	1	0	0.009	0.009	0.009	10/05/10	0.009	0.009	0.05	0	--	--	0.0010	L
Nitrite, unfiltered, in milligrams per liter	1991	2	1	0 *	0.020	0.040	12/18/90	0 *	0.040	--	--	--	--	--	--
Orthophosphate, in milligrams per liter	1998-2010	19	2	0 *	0.036	0.090	07/27/10	0.012	0.079	--	--	--	--	0.0080	--
Orthophosphate, in milligrams per liter	2011	1	0	0.026	0.026	0.026	10/05/10	0.026	0.026	--	--	--	--	0.0040	--
Orthophosphate, unfiltered, in milligrams per liter	1991	2	0	0.030	0.070	0.110	10/24/90	0.030	0.110	--	--	--	--	--	--
Phosphorus, in milligrams per liter	1998-2001	15	3	0 *	0.055	0.107	06/07/00	0 *	0.095	--	--	--	--	--	--
Phosphorus, unfiltered, in milligrams per liter	2002-2010	4	0	0.103	0.171	0.448	07/27/10	0.103	0.448	--	--	--	--	0.0080	--
Phosphorus, unfiltered, in milligrams per liter	2011	1	0	0.103	0.103	0.103	10/05/10	0.103	0.103	--	--	--	--	0.0040	--
Escherichia coli, Defined Substrate Technology, in colonies per 100 milliliters	2010	3	0	74	140	24,000	10/22/09	--	629 **	126	2	--	--	1	H
Escherichia coli, in colonies per 100 milliliters	2005-2007	10	1	1	140	6,200	09/12/06	--	81 **	126	5	--	--	1	L
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters	2002	2	0	68	134	200	07/23/02	--	117 **	126	1	--	--	1	L
Fecal coliform, M-FC MF, in colonies per 100 milliliters	2002	2	0	120	135	150	09/04/02	120	150	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2010	3	0	1,600	24,000	24,000	10/22/09	1,600	24,000	--	--	--	--	--	--
Aluminum, in micrograms per liter	2010	2	0	6.3	6.6	6.8	06/29/10	6.3	6.8	1,438	0	10,071	0	3.4	L
Aluminum, in micrograms per liter	2011	1	0	3.3	3.3	3.3	10/05/10	3.3	3.3	1,438	0	10,071	0	1.7	L
Boron, in micrograms per liter	2009-2010	9	0	84.0	219	274	08/31/09	97.1	274	750	0	.	--	2.8	L
Iron, in micrograms per liter	1998-2002	10	10	0 *	0 *	0 *	07/08/98	0 *	0 *	300	0	.	--	30.0	L
Iron, unfiltered, in micrograms per liter	1998-2000	7	0	1,830	11,375	79,500	08/05/98	1,890	72,960	1,950	6	.	--	--	H
Manganese, in micrograms per liter	1998-2002	17	4	0 *	17.0	194	03/03/99	0 *	64.6	50.0	3	.	--	4.8	H
Manganese, unfiltered, in micrograms per liter	1998-2001	15	0	32.0	258	2,800	08/05/98	88.6	839	--	--	.	--	--	--
Selenium, in micrograms per liter	1998-2010	43	0	4.6	11.1	20.3	12/16/09	7.6	17.0	4.6	42	18.4	2	0.040	H
Selenium, in micrograms per liter	2011	1	0	15.6	15.6	15.6	10/05/10	15.6	15.6	4.6	1	18.4	0	0.030	H
Selenium, unfiltered, in micrograms per liter	1998-2008	28	0	4.7	12.6	19.5	09/12/05	7.8	16.1	--	--	.	--	0.080	--

Table 32. Summary of measured constituents and properties for Arkansas River at La Junta, Co., station 07123000

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; **, Geometric mean; See Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Zinc, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	405	0	467	0	2.8	L
Zinc, in micrograms per liter	2011	1	1	0 *	0 *	0 *	10/05/10	0 *	0 *	405	0	467	0	1.4	L
1,4-Dichlorobenzene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	63.0	0	--	--	0.040	L
1,4-Dichlorobenzene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	63.0	0	--	--	0.040	L
1-Methylnaphthalene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.022	--
1-Methylnaphthalene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.022	--
2,6-Dimethylnaphthalene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.060	--
2,6-Dimethylnaphthalene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.060	--
2-Methylnaphthalene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.036	--
2-Methylnaphthalene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.036	--
3-beta-Coprostanol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	1.8	--
3-beta-Coprostanol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	1.8	--
3-Methyl-1H-indole, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.036	--
3-Methyl-1H-indole, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.036	--
3-tert-Butyl-4-hydroxyanisole, in micrograms per liter	2010	1	1	0 *	0 *	0 *	07/27/10	0 *	0 *	--	--	--	--	8.0	--
3-tert-Butyl-4-hydroxyanisole, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.60	--
4-Cumylphenol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.060	--
4-Cumylphenol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.060	--
4-n-Octylphenol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.16	--
4-n-Octylphenol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.060	--
4-Nonylphenol (sum of all isomers), in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	2.0	--
4-Nonylphenol (sum of all isomers), in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	2.0	--
4-Nonylphenol diethoxylate (sum of all isomers), in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	5.0	--
4-Nonylphenol diethoxylate (sum of all isomers), in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	5.0	--
4-tert-Octylphenol diethoxylate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	1.0	--
4-tert-Octylphenol diethoxylate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	1.0	--
4-tert-Octylphenol monoethoxylate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	1.0	--
4-tert-Octylphenol monoethoxylate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	1.0	--
4-tert-Octylphenol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.14	--
4-tert-Octylphenol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.14	--
5-Methyl-1H-benzotriazole, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	1.2	--
5-Methyl-1H-benzotriazole, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	1.2	--
9,10-Anthraquinone, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.16	--
9,10-Anthraquinone, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.16	--
Acetophenone, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.40	--

Table 32. Summary of measured constituents and properties for Arkansas River at La Junta, Co., station 07123000

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; **, Geometric mean; See Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Acetophenone, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.40	--
Acetyl hexamethyl tetrahydro naphthalene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.028	--
Acetyl hexamethyl tetrahydro naphthalene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.028	--
Anthracene, filtered, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	2,100	0	--	--	0.028	L
Anthracene, filtered, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	2,100	0	--	--	0.010	L
Benzo[a]pyrene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	0.0038	0	--	--	0.050	L
Benzo[a]pyrene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	0.0038	0	--	--	0.018	L
Benzophenone, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.080	--
Benzophenone, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.080	--
beta-Sitosterol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	4.0	--
beta-Sitosterol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	4.0	--
beta-Stigmastanol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	2.6	--
beta-Stigmastanol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	2.6	--
Bromacil, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.36	--
Bromacil, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.36	--
Caffeine, in micrograms per liter	2010	1	0	0.016	0.016	0.016	07/27/10	0.016	0.016	--	--	--	--	0.060	--
Caffeine, in micrograms per liter	2011	1	0	0.024	0.024	0.024	12/08/10	0.024	0.024	--	--	--	--	0.060	--
Camphor, in micrograms per liter	2010	2	1	0 *	0.0042	0.0084	07/27/10	0 *	0.0084	--	--	--	--	0.044	--
Camphor, in micrograms per liter	2011	1	0	0.037	0.037	0.037	12/08/10	0.037	0.037	--	--	--	--	0.044	--
Carbaryl, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.38	--
Carbaryl, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.16	--
Carbazole, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.030	--
Carbazole, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.030	--
Chlorpyrifos, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	0.041	0	0.083	0	0.16	L
Chlorpyrifos, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	0.041	0	0.083	0	0.16	L
Cholesterol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	2.0	--
Cholesterol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	2.0	--
Cotinine, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.60	--
Cotinine, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.80	--
DEET, in micrograms per liter	2010	2	1	0 *	0.0055	0.011	07/27/10	0 *	0.011	--	--	--	--	0.060	--
DEET, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.060	--
Diazinon, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	0.17	0	0.17	0	0.16	L
Diazinon, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	0.17	0	0.17	0	0.16	L
D-Limonene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.080	--
D-Limonene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.080	--

Table 32. Summary of measured constituents and properties for Arkansas River at La Junta, Co., station 07123000

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; **, Geometric mean; See Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Fluoranthene, in micrograms per liter	2010	2	0	0.0044	0.019	0.033	06/29/10	0.0044	0.033	130	0	--	--	0.024	L
Fluoranthene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	130	0	--	--	0.024	L
Hexahydrohexamethyl cyclopentabenzopyran, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.052	--
Hexahydrohexamethyl cyclopentabenzopyran, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.052	--
Indole, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.080	--
Indole, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.080	--
Isoborneol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.18	--
Isoborneol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.080	--
Isophorone, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	130	0	--	--	0.080	L
Isophorone, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	130	0	--	--	0.032	L
Isopropylbenzene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.30	--
Isopropylbenzene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.30	--
Isoquinoline, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.046	--
Isoquinoline, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.046	--
Menthol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.32	--
Menthol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.32	--
Metalaxyl, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.12	--
Metalaxyl, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.12	--
Methyl salicylate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.044	--
Methyl salicylate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.044	--
Metolachlor, filtered, in micrograms per liter	2010	2	1	0 *	0.015	0.030	07/27/10	0 *	0.030	--	--	--	--	0.080	--
Metolachlor, filtered, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.028	--
Naphthalene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	140	0	--	--	0.040	L
Naphthalene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	140	0	--	--	0.040	L
p-Cresol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.080	--
p-Cresol, in micrograms per liter	2011	1	0	0.027	0.027	0.027	12/08/10	0.027	0.027	--	--	--	--	0.080	--
Phenanthrene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.032	--
Phenanthrene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.016	--
Phenol, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	2,100	0	--	--	0.16	L
Phenol, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	2,100	0	--	--	0.16	L
Prometon, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	100	0	--	--	0.12	L
Prometon, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	100	0	--	--	0.12	L
Pyrene, in micrograms per liter	2010	2	1	0 *	0.0017	0.0034	07/27/10	0 *	0.0034	210	0	--	--	0.042	L
Pyrene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	210	0	--	--	0.042	L
Tetrachloroethene, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.12	--

Table 32. Summary of measured constituents and properties for Arkansas River at La Junta, Co., station 07123000

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; **, Geometric mean; See Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Tetrachloroethene, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.12	--
Tribromomethane, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.10	--
Tribromomethane, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.10	--
Tributyl phosphate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.16	--
Tributyl phosphate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.16	--
Triclosan, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.20	--
Triclosan, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.20	--
Triethyl citrate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.38	--
Triethyl citrate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.16	--
Triphenyl phosphate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.12	--
Triphenyl phosphate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.12	--
Tris(2-butoxyethyl) phosphate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.80	--
Tris(2-butoxyethyl) phosphate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.80	--
Tris(2-chloroethyl) phosphate, in micrograms per liter	2010	2	2	0 *	0 *	0 *	06/29/10	0 *	0 *	--	--	--	--	0.10	--
Tris(2-chloroethyl) phosphate, in micrograms per liter	2011	1	0	0.031	0.031	0.031	12/08/10	0.031	0.031	--	--	--	--	0.10	--
Tris(dichloroisopropyl) phosphate, in micrograms per liter	2010	2	1	0 *	0.013	0.026	07/27/10	0 *	0.026	--	--	--	--	0.16	--
Tris(dichloroisopropyl) phosphate, in micrograms per liter	2011	1	1	0 *	0 *	0 *	12/08/10	0 *	0 *	--	--	--	--	0.16	--
Uranium (natural), in micrograms per liter	2005-2010	25	0	6.2	20.0	37.0	12/16/09	8.3	32.4	30.0	4	.	--	0.0080	H
Uranium (natural), in micrograms per liter	2011	1	0	27.4	27.4	27.4	10/05/10	27.4	27.4	30.0	0	.	--	0.0040	M
Uranium (natural), unfiltered, in micrograms per liter	2005-2008	12	0	6.9	25.3	40.7	12/17/07	8.9	31.8	--	--	.	--	0.020	--
Suspended sediment, in milligrams per liter	1991	1	0	1,090	1,090	1,090	07/11/91	1,090	1,090	--	--	--	--	--	--