Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	1990-2017	259	1	0 *	412	4,310	06/02/03	310	1,348	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2018-2019	8	0	193	343	1,300	05/22/19	212	1,030	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	1990-2017	120	0	7.6	9.9	13.3	11/16/00	8.4	11.3	6.0	0	--	--	--	L
Dissolved oxygen, in milligrams per liter	2018-2019	8	0	7.8	10.3	11.5	12/19/18	8.0	11.5	6.0	0	--	--	--	L
pH, in standard units	1990-2017	127	0	7.7	8.4	8.8	05/23/02	8.2	8.6	6.5-9.0	0		--	--	L
pH, in standard units	2018-2019	8	0	8.0	8.6	8.7	08/07/19	8.2	8.7	6.5-9.0	0		--	--	L
Specific conductance, laboratory, in microsiemens per centimeter	1990-2015	42	0	256	538	859	09/10/02	308	693	--	--	.	--	5.0	--
Specific conductance, in microsiemens per centimeter	1990-2017	258	0	245	535	893	06/25/02	341	638	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2018-2019	8	0	411	514	640	03/25/19	423	631	--	--	.	--	--	--
Temperature, water, degrees Celsius	1990-2017	256	0	0.0	10.0	25.5	07/18/02	2.0	16.7	--	--	--	--	--	--
Temperature, water, degrees Celsius	2018-2019	8	0	0.6	9.2	25.8	07/24/18	1.9	23.6	--	--	--	--	--	--
Temperature, water, degrees Celsius April-October	1990-2017	171	0	4.5	12.5	25.5	07/18/02	8.6	17.8	24.3	1	--	--	--	L
Temperature, water, degrees Celsius April-October	2018-2019	5	0	4.2	NC	25.8	07/24/18	NC	NC	24.3	1	--	--	--	NC
Temperature, water, degrees Celsius November-March	1990-2017	85	0	0.0	2.3	9.8	03/19/97	0.0	6.4	13.0	0	--	--	--	L
Temperature, water, degrees Celsius November-March	2018-2019	3	0	0.6	NC	9.8	03/25/19	NC	NC	13.0	0	--	--	--	NC
Biochemical oxygen demand, unfiltered, 5 days at 20 degrees Celsius, in milligrams per liter	1991-2010	68	55	0 *	0 *	6.4	09/17/07	0 *	1.4	--	--	.	--	--	--
Residue, in milligrams per liter	1995-2016	34	0	153	325	476	03/26/08	186	373	--	--	.	--	20.0	--
Dissolved solids, sum of constituents, in milligrams per liter	1990-2016	60	0	147	334	588	09/10/02	199	427	--	--	.	--	--	--
Hardness, in milligrams per liter	1990-2016	81	0	120	246	422	09/10/02	152	312	--	--	.	--	--	--
Residue (total), in milligrams per liter	2008-2013	19	10	0 *	0 *	72.0	06/14/11	0 *	35.0	--	--	.	--	15.0	--
Turbidity, unfiltered, laboratory, in nephelometric turbidity units	2002	2	0	3.10	NC	3.34	09/10/02	NC	NC	--	--	--	--	0.10	--
Calcium, in milligrams per liter	1990-2016	81	0	34.1	68.8	107	09/10/02	43.3	82.8	--	--	.	--	0.022	--
Magnesium, in milligrams per liter	1990-2016	81	0	7.5	18.0	37.5	09/10/02	10.4	24.9	--	--	.	--	0.011	--
Potassium, in milligrams per liter	1990-2016	60	0	0.79	1.3	3.2	03/13/12	0.97	1.7	--	--	.	--	0.030	--
Sodium, in milligrams per liter	1990-2016	60	0	3.5	13.2	38.8	09/10/02	7.4	22.6	--	--	.	--	0.060	--
Acid neutralizing capacity, in milligrams per liter	1990-1996	20	0	104	147	224	09/05/90	114	183	--	--	.	--	--	--
Alkalinity, fixed endpoint titration, in milligrams per liter as calcium carbonate	2002-2013	3	0	112	NC	245	09/10/02	NC	NC	--	--	.	--	4.6	--
Alkalinity, inflection-point titration in milligrams per liter as calcium carbonate	2008-2016	38	0	98.1	137	211	08/28/12	115	154	--	--	.	--	--	--
Bicarbonate, inflection-point titration in milligrams per liter	2008-2016	37	0	118	162	252	08/28/12	147	185	--	--	.	--	--	--
Bromide, in micrograms per liter	2014-2016	9	7	0 *	0 *	0.024	11/20/13	0 *	0.018	--	--	--	--	0.010	--
Carbonate, in milligrams per liter	2008-2016	37	0	0.80	1.9	3.9	07/12/12	1.1	3.0	--	--	.	--	--	--
Chloride, in milligrams per liter	1990-2016	95	0	1.1	5.5	13.0	09/10/02	2.1	8.3	250	0	.	--	0.020	L
Fluoride, in milligrams per liter	1990-2016	61	2	0 *	0.17	0.36	09/10/02	0.10	0.22	2.0	0	.	--	0.010	L
Silica, in milligrams per liter	1990-2016	60	0	11.0	14.0	17.2	02/23/10	12.1	15.2	--	--	.	--	0.018	--

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Sulfate, in milligrams per liter	1990-2016	61	0	26.5	120	224	09/10/02	52.4	167	250	0	.	--	0.020	M
Ammonia plus organic nitrogen, in milligrams per liter as N	1990-2001	42	17	0 *	0.125	0.500	09/05/90	0 *	0.266	--	--	--	--	--	--
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter as N	1991-2017	113	8	0 *	0.300	3.61	09/17/07	0.152	0.537	--	--	--	--	0.070	--
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter as N	2018-2019	8	0	0.152	0.238	0.387	05/22/19	0.163	0.384	--	--	--	--	0.070	--
Ammonia, in milligrams per liter as N	1990-2017	113	81	0 *	0 *	0.112	05/11/98	0 *	0.020	1.30	0	2.83	0	0.010	L
Ammonia, in milligrams per liter as N	2018-2019	8	7	0 *	0 *	0.012	03/25/19	0 *	0.008	1.01	0	2.20	0	0.010	L
Ammonia, unfiltered, in milligrams per liter	1991-1992	6	2	0 *	0.025	0.050	06/16/92	0 *	0.049	--	--	--	--	--	--
Nitrite plus nitrate, in milligrams per liter as N	1990-2017	114	62	0 *	0 *	0.200	02/06/91	0 *	0.097	--	--	10.0	0	0.010	--
Nitrite plus nitrate, in milligrams per liter as N	2018-2019	8	7	0 *	0 *	0.096	05/22/19	0 *	0.062	--	--	10.0	0	0.010	--
Nitrate plus nitrite, unfiltered, in milligrams per liter as N'	1991-1992	6	4	0 *	0 *	0.240	03/11/92	0 *	0.238	--	--	--	--	--	--
Nitrite, in milligrams per liter as N	1990-2017	114	83	0 *	0 *	0.020	06/28/95	0 *	0.002	--	--	0.05	0	0.0010	--
Nitrite, in milligrams per liter as N	2018-2019	8	7	0 *	0 *	0.002	05/22/19	0 *	0.001	--	--	0.05	0	0.0010	--
Nitrite, unfiltered, in milligrams per liter as N	1991-1992	6	6	0 *	0 *	0 *	02/06/91	0 *	0 *	--	--	--	--	--	--
Orthophosphate, in milligrams per liter as P	1990-2017	114	34	0 *	0.010	0.043	02/17/03	0 *	0.020	--	--	--	--	0.0040	--
Orthophosphate, in milligrams per liter as P	2018-2019	8	3	0 *	0.008	0.021	07/24/18	0 *	0.020	--	--	--	--	0.0040	--
Orthophosphate, unfiltered, in milligrams per liter as P	1991-1992	6	1	0 *	0.020	0.020	02/06/91	0.001	0.020	--	--	--	--	--	--
Phosphorus, in milligrams per liter as P	1990-2001	42	18	0 *	0.008	0.040	09/05/90	0 *	0.023	--	--	--	--	--	--
Phosphorus, unfiltered, in milligrams per liter as P	1991-2017	114	10	0 *	0.040	1.07	09/17/07	0.013	0.101	0.11	15	--	--	0.0040	L
Phosphorus, unfiltered, in milligrams per liter as P	2018-2019	8	0	0.013	0.033	0.061	05/22/19	0.013	0.055	0.11	0	--	--	0.0040	L
Total nitrogen, unfiltered, in milligrams per liter	2004	1	0	0.200	NC	0.200	10/21/03	NC	NC	--	--	--	--	0.030	--
Escherichia coli, in colonies per 100 milliliters	2004-2017	58	1	1	24	2,900	09/17/07	--	19 **	--	--	--	--	1	--
Escherichia coli, in colonies per 100 milliliters	2018-2019	8	1	1	18	200	05/22/19	--	10 **	--	--	--	--	1	--
Escherichia coli, in colonies per 100 milliliters December-February	2005-2017	10	0	1	3	34	02/08/17	--	5 **	205	0	--	--	1	L
Escherichia coli, in colonies per 100 milliliters December-February	2019	1	0	1	NC	1	12/19/18	--	NC**	205	0	--	--	1	NC
Escherichia coli, in colonies per 100 milliliters March-November	2004-2017	48	1	1	27	2,900	09/17/07	--	25 **	126	7	--	--	1	L
Escherichia coli, in colonies per 100 milliliters March-November	2018-2019	7	1	1	24	200	05/22/19	--	14 **	126	1	--	--	1	L
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters	1991-2004	22	2	1	20	120	07/31/01	--	15 **	--	--	--	--	1	--
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters December-February	1991-2003	2	0	1	NC	10	02/17/03	--	NC**	205	0	--	--	1	NC
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters March-November	1991-2004	20	2	1	23	120	07/31/01	--	17 **	126	0	--	--	1	L
Fecal coliform, M-FC MF, in colonies per 100 milliliters	1991-2000	37	2	0 *	45	480	05/26/00	4	179	--	--	--	--	--	--
Fecal streptococci, in colonies per 100 milliliters	1991	1	0	32	NC	32	02/06/91	NC	NC	--	--	--	--	--	--
Aluminum, in micrograms per liter	1995-2017	63	26	0 *	2.0	67.8	02/08/17	0 *	10.1	1,438	0	10,071	0	3.0	L
Aluminum, in micrograms per liter	2018-2019	3	2	0 *	NC	8.3	05/22/19	NC	NC	1,438	0	10,071	0	3.0	NC
Aluminum, unfiltered, in micrograms per liter	1995-2002	17	1	0 *	124	2,476	05/26/00	49.3	1,133	1,438	2	10,071	0	28.0	L
Barium, in micrograms per liter	2008-2017	32	0	18.6	24.4	32.5	04/20/16	20.9	27.8	1,000	0	.	--	0.10	L

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Barium, in micrograms per liter	2018-2019	3	0	20.4	NC	32.6	05/22/19	NC	NC	1,000	0	.	--	0.10	NC
Barium, unfiltered, in micrograms per liter	1995-2002	18	10	0 *	0 *	469	08/13/98	0 *	56.7	--	--	.	--	1.0	--
Beryllium, in micrograms per liter	2008-2017	32	32	0 *	0 *	0 *	10/17/07	0 *	0 *	4.00	0	--	--	0.010	L
Beryllium, in micrograms per liter	2018-2019	3	3	0 *	NC	0 *	03/14/18	NC	NC	4.00	0	--	--	0.010	NC
Beryllium, unfiltered, in micrograms per liter	1995-2002	18	18	0 *	0 *	0 *	03/24/95	0 *	0 *	--	--	--	--	2.5	--
Cadmium, in micrograms per liter	1991-2017	50	44	0 *	0 *	0.23	07/30/02	0 *	0 *	1.4	0	.	--	0.030	L
Cadmium, in micrograms per liter	2018-2019	3	3	0 *	NC	0 *	03/14/18	NC	NC	1.4	0	.	--	0.030	NC
Cadmium, unfiltered, in micrograms per liter	1995-2002	18	17	0 *	0 *	0.064	05/26/00	0 *	0 *	--	--	.	--	0.12	--
Chromium, in micrograms per liter	2008-2017	32	14	0 *	0.097	0.20	12/14/11	0 *	0.17	--	--	.	--	0.50	--
Chromium, in micrograms per liter	2018-2019	3	3	0 *	NC	0 *	03/14/18	NC	NC	--	--	.	--	0.50	--
Chromium, unfiltered, in micrograms per liter	1995-2002	18	12	0 *	0 *	3.1	05/26/00	0 *	2.2	--	--	.	--	0.80	--
Cobalt, in micrograms per liter	2008-2017	31	0	0.077	0.16	0.93	06/14/11	0.11	0.36	--	--	.	--	0.030	--
Cobalt, in micrograms per liter	2018-2019	3	0	0.10	NC	0.29	05/22/19	NC	NC	--	--	.	--	0.030	--
Cobalt, unfiltered, in micrograms per liter	1995-2002	18	15	0 *	0 *	1.7	05/26/00	0 *	1.1	--	--	.	--	1.8	--
Copper, in micrograms per liter	1991-2017	50	22	0 *	0.52	78.1	09/12/05	0 *	1.2	19.5	2	31.7	2	0.20	L
Copper, in micrograms per liter	2018-2019	3	0	0.40	NC	0.54	05/22/19	NC	NC	19.5	0	31.7	0	0.40	NC
Copper, unfiltered, in micrograms per liter	1995-2002	18	5	0 *	1.2	5.0	05/26/00	0 *	3.3	--	--	.	--	1.2	--
Iron, in micrograms per liter	1995-2017	50	1	0 *	15.1	98.1	02/08/17	6.8	33.5	300	0	.	--	10.0	L
Iron, in micrograms per liter	2018-2019	3	2	0 *	NC	19.2	05/22/19	NC	NC	300	0	.	--	10.0	NC
Iron, unfiltered, in micrograms per liter	1991-2002	24	0	60.0	185	3,309	05/26/00	79.8	1,026	1,000	3	.	--	12.0	L
Lead, in micrograms per liter	1991-2017	51	39	0 *	0 *	1.1	06/07/05	0 *	0.054	6.7	0	171	0	0.020	L
Lead, in micrograms per liter	2018-2019	3	3	0 *	NC	0 *	03/14/18	NC	NC	6.7	0	171	0	0.020	NC
Lead, unfiltered, in micrograms per liter	1995-2002	18	15	0 *	0 *	2.6	05/26/00	0 *	1.1	--	--	50.0	0	1.0	--
Lithium, in micrograms per liter	2008-2017	32	0	2.06	5.80	13.8	03/26/08	3.19	7.93	--	--	--	--	0.15	--
Lithium, in micrograms per liter	2018-2019	3	0	5.75	NC	8.65	09/25/18	NC	NC	--	--	--	--	0.15	--
Lithium, unfiltered, in micrograms per liter	1995-2002	18	7	0 *	5.67	20.0	06/28/95	0 *	17.2	--	--	--	--	4.4	--
Manganese, in micrograms per liter	1991-2017	56	0	5.8	13.0	57.9	09/17/07	9.3	23.9	50.0	1	4,042	0	0.40	L
Manganese, in micrograms per liter	2018-2019	3	0	6.2	NC	15.5	03/14/18	NC	NC	50.0	0	4,042	0	0.40	NC
Manganese, unfiltered, in micrograms per liter	1991-2002	24	2	0 *	30.0	128	05/26/00	13.7	61.4	--	--	.	--	2.4	--
Mercury, in micrograms per liter	1991-2013	25	23	0 *	0 *	0.006	06/10/08	0 *	0 *	--	--	.	--	0.0050	--
Molybdenum, in micrograms per liter	2008-2017	32	0	0.568	1.15	1.63	10/16/12	0.712	1.33	210	0	--	--	0.050	L
Molybdenum, in micrograms per liter	2018-2019	3	0	0.951	NC	1.66	09/25/18	NC	NC	210	0	--	--	0.050	NC
Molybdenum, unfiltered, in micrograms per liter	1995-2002	18	8	0 *	1.15	2.20	03/25/96	0 *	1.92	150	0	--	--	1.8	L
Nickel, in micrograms per liter	2008-2017	31	0	0.31	0.69	1.4	02/24/15	0.54	1.3	112	0	1,011	0	0.20	L
Nickel, in micrograms per liter	2018-2019	3	0	0.38	NC	0.65	05/22/19	NC	NC	112	0	1,011	0	0.20	NC
Nickel, unfiltered, in micrograms per liter	1995-2002	18	9	0 *	0.50	7.1	05/26/00	0 *	3.7	100	0	.	--	2.0	L

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Silver, in micrograms per liter	1991-2017	51	49	0 *	0 *	0.007	06/14/11	0 *	0 *	0.36	0	9.7	0	1.0	L
Silver, in micrograms per liter	2018-2019	3	3	0 *	NC	0 *	03/14/18	NC	NC	0.36	0	9.7	0	1.0	NC
Strontium, in micrograms per liter	2008-2016	39	0	225	629	852	08/28/12	345	789	--	--	--	--	0.80	--
Strontium, unfiltered, in micrograms per liter	1995-2002	18	0	239	619	942	06/25/02	272	766	--	--	--	--	1.1	--
Vanadium, in micrograms per liter	2008-2017	32	0	0.956	1.19	1.47	08/06/14	1.05	1.31	--	--	--	--	0.10	--
Vanadium, in micrograms per liter	2018-2019	3	0	0.968	NC	1.41	03/14/18	NC	NC	--	--	--	--	0.10	--
Zinc, in micrograms per liter	1991-2017	51	36	0 *	0 *	40.9	09/12/05	0 *	2.1	277	0	366	0	2.0	L
Zinc, in micrograms per liter	2018-2019	3	3	0 *	NC	0 *	03/14/18	NC	NC	277	0	366	0	2.0	NC
Zinc, unfiltered, in micrograms per liter	1995-2002	18	16	0 *	0 *	21.6	05/27/99	0 *	1.5	--	--	.	--	25.0	--
Antimony, in micrograms per liter	2008-2017	31	6	0 *	0.046	0.136	05/10/17	0 *	0.096	5.60	0	--	--	0.030	L
Antimony, in micrograms per liter	2018-2019	3	0	0.067	NC	0.108	05/22/19	NC	NC	5.60	0	--	--	0.060	NC
Arsenic, in micrograms per liter	2008-2017	32	0	0.40	0.53	0.71	08/05/15	0.45	0.63	--	--	340	0	0.050	--
Arsenic, in micrograms per liter	2018-2019	3	0	0.44	NC	0.61	09/25/18	NC	NC	--	--	340	0	0.10	--
Arsenic, unfiltered in micrograms per liter	1995-2002	18	15	0 *	0 *	1.4	05/26/00	0 *	0.92	0.020	3	.	--	1.9	L
Boron, in micrograms per liter	1995-2016	56	3	0 *	18.3	60.5	09/13/11	11.1	33.4	750	0	.	--	5.0	L
Selenium, in micrograms per liter	1991-2017	56	19	0 *	0.41	2.0	03/25/96	0 *	0.93	4.6	0	18.4	0	0.050	L
Selenium, in micrograms per liter	2018-2019	3	0	0.46	NC	0.57	03/14/18	NC	NC	4.6	0	18.4	0	0.050	NC
Benzene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	2.2	0	.	--	0.10	NC
Ethylbenzene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	530	0	.	--	0.10	NC
Methyl tert-butyl ether, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	--	--	0.20	--
m-Xylene plus p-xylene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	.	--	0.20	--
Organic carbon, in milligrams per liter	2002-2016	41	0	1.0	2.3	6.6	09/10/02	1.5	4.0	--	--	.	--	0.23	--
o-Xylene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	.	--	0.10	--
Toluene,unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	.	--	0.10	--
Xylene (all isomers), unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	1,400	0	--	--	0.20	NC
Uranium (natural), in micrograms per liter	2008-2017	32	0	0.47	1.1	1.7	03/26/08	0.63	1.3	30.0	0	.	--	0.010	L
Uranium (natural), in micrograms per liter	2018-2019	3	0	0.97	NC	1.7	09/25/18	NC	NC	30.0	0	.	--	0.030	NC
Suspended sediment, sieve diameter, percent smaller than 0.0625 millimeters	1990-2015	17	0	43.0	84.0	99.9	09/17/07	58.2	93.1	--	--	--	--	1.0	--
Suspended sediment, in milligrams per liter	1990-2017	87	0	2	26	2,689	09/17/07	8	90	--	--	--	--	1.0	--
Suspended sediment, in milligrams per liter	2018-2019	3	0	5	NC	32	05/22/19	NC	NC	--	--	--	--	1.0	--