

Table 10. Summary of measured constituents and properties for Arkansas River at Catlin Dam near Fowler, Co. (ARKCATCO), station 07119700  
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	1990-2017	235	0	5.7	315	5,000	06/10/15	111	1,280	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2018-2019	11	0	38.7	357	3,550	06/12/19	49.7	1,258	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	1990-2017	74	0	6.4	8.5	12.0	10/29/91	7.2	11.0	5.0	0	--	--	--	L
Dissolved oxygen, in milligrams per liter	2018-2019	11	0	6.7	9.4	11.6	11/29/17	6.8	11.4	5.0	0	--	--	--	L
pH, in standard units	1990-2017	136	0	7.8	8.3	8.5	04/12/90	8.1	8.4	6.5-9.0	0		--	--	L
pH, in standard units	2018-2019	11	0	8.0	8.3	8.4	11/29/17	8.1	8.4	6.5-9.0	0		--	--	L
pH, laboratory, in standard units	1990-2003	47	0	7.5	8.2	8.4	10/27/98	7.9	8.4	6.5-9.0	0		--	0.10	L
Specific conductance, laboratory, in microsiemens per centimeter	1990-2011	50	0	532	1,013	1,842	12/18/02	630	1,306	--	--	.	--	5.0	--
Specific conductance, laboratory, in microsiemens per centimeter	2018	1	0	1,795	NC	1,795	02/28/18	NC	NC	--	--	.	--	5.0	--
Specific conductance, in microsiemens per centimeter	1990-2017	514	0	450	1,003	1,900	08/28/02	686	1,360	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2018-2019	11	0	566	1,246	1,780	02/28/18	595	1,752	--	--	.	--	--	--
Temperature, water, degrees Celsius	1990-2017	278	0	0.0	15.6	31.5	08/28/02	5.2	24.4	--	--	--	--	--	--
Temperature, water, degrees Celsius	2018-2019	11	0	3.8	13.9	28.1	08/08/19	4.5	25.1	--	--	--	--	--	--
Temperature, water, degrees Celsius March-November	1990-2017	215	0	1.4	18.0	31.5	08/28/02	11.1	25.1	28.6	8	--	--	--	L
Temperature, water, degrees Celsius March-November	2018-2019	6	0	5.4	22.2	28.1	08/08/19	5.9	27.9	28.6	0	--	--	--	L
Temperature, water, degrees Celsius December-February	1991-2017	63	0	0.0	4.5	14.2	02/26/09	0.7	9.3	14.3	0	--	--	--	L
Temperature, water, degrees Celsius December-February	2018-2019	5	0	3.8	NC	13.9	02/28/18	NC	NC	14.3	0	--	--	--	NC
Turbidity, water, unfiltered, monochrome near infra-red in nephelometric turbidity units	2011	1	0	6.9	NC	6.9	02/24/11	NC	NC	--	--	.	--	--	--
Dissolved solids dried at 180 degrees C, in milligrams per liter	1990-2017	106	0	342	711	1,480	03/08/05	416	1,053	--	--	.	--	20.0	--
Dissolved solids dried at 180 degrees C, in milligrams per liter	2018-2019	8	0	379	887	1,483	02/28/18	387	1,391	--	--	.	--	20.0	--
Dissolved solids, sum of constituents, in milligrams per liter	2002-2017	45	0	329	769	1,375	12/18/02	414	1,058	--	--	.	--	--	--
Dissolved solids, sum of constituents, in milligrams per liter	2018	3	0	477	NC	1,276	02/27/18	NC	NC	--	--	.	--	--	--
Hardness, in milligrams per liter	1990-2017	80	0	213	407	843	12/18/02	252	609	--	--	.	--	--	--
Hardness, in milligrams per liter	2018	3	0	290	NC	716	02/27/18	NC	NC	--	--	.	--	--	--
Calcium, in milligrams per liter	1990-2017	80	0	55.9	100	217	03/08/05	68.1	150	--	--	.	--	0.050	--
Calcium, in milligrams per liter	2018	3	0	76.1	NC	174	02/27/18	NC	NC	--	--	.	--	0.050	--
Magnesium, in milligrams per liter	1990-2017	80	0	17.0	37.0	75.3	12/18/02	21.0	55.2	--	--	.	--	0.0010	--
Magnesium, in milligrams per liter	2018	3	0	24.1	NC	67.6	02/27/18	NC	NC	--	--	.	--	0.0010	--
Potassium, in milligrams per liter	2002-2017	48	0	2.6	4.2	6.4	10/21/09	3.0	4.6	--	--	.	--	0.10	--
Potassium, in milligrams per liter	2018	3	0	3.2	NC	4.6	02/27/18	NC	NC	--	--	.	--	0.10	--
Sodium, in milligrams per liter	1990-2017	72	0	28.0	70.7	137	03/10/04	36.4	100	--	--	.	--	0.010	--
Sodium, in milligrams per liter	2018	3	0	38.3	NC	116	02/27/18	NC	NC	--	--	.	--	0.010	--
Acid neutralizing capacity, in milligrams per liter	1990-2010	35	0	106	164	217	12/18/90	119	191	--	--	.	--	8.0	--
Alkalinity, inflection-point titration, in milligrams per liter	2004-2017	34	0	107	149	210	03/08/05	116	195	--	--	.	--	--	--
Alkalinity, inflection-point titration, in milligrams per liter	2018	3	0	136	NC	235	02/27/18	NC	NC	--	--	.	--	--	--

Table 10. Summary of measured constituents and properties for Arkansas River at Catlin Dam near Fowler, Co. (ARKCATCO), station 07119700  
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Bicarbonate, in milligrams per liter	2007-2017	21	0	119	203	241	02/24/11	135	234	--	--	.	--	--	--
Bromide, in micrograms per liter	2017	3	0	0.077	NC	0.173	02/23/17	NC	NC	--	--	--	--	0.010	--
Bromide, in micrograms per liter	2018	3	0	0.068	NC	0.209	02/27/18	NC	NC	--	--	--	--	0.010	--
Carbonate, in milligrams per liter	2007-2017	17	0	0.70	1.3	6.1	05/17/07	0.97	3.1	--	--	.	--	--	--
Chloride, in milligrams per liter	1990-2017	72	0	10.0	25.1	43.3	02/23/17	13.0	38.8	250	0	.	--	0.020	L
Chloride, in milligrams per liter	2018	3	0	17.2	NC	42.3	02/27/18	NC	NC	250	0	.	--	0.020	NC
Fluoride, in milligrams per liter	1991-2012	54	0	0.60	0.96	1.9	12/18/90	0.66	1.1	--	--	.	--	0.040	--
Silica, in milligrams per liter	2002-2017	6	0	6.4	10.7	11.2	05/24/17	6.5	11.2	--	--	.	--	0.040	--
Silica, in milligrams per liter	2018	3	0	7.5	NC	12.5	02/27/18	NC	NC	--	--	.	--	0.040	--
Sulfate, in milligrams per liter	1990-2017	107	0	146	325	813	12/18/02	194	507	902	0	.	--	0.020	M
Sulfate, in milligrams per liter	2018	3	0	223	NC	700	02/27/18	NC	NC	902	0	.	--	0.020	NC
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter	2002	2	0	0.375	NC	0.438	07/23/02	NC	NC	--	--	--	--	0.10	--
Ammonia nitrogen, in milligrams per liter	1993-2017	42	15	0 *	0.021	0.278	08/04/98	0 *	0.088	1.22	0	3.20	0	0.010	L
Ammonia nitrogen, in milligrams per liter	2018-2019	8	2	0 *	0.041	0.178	02/08/19	0 *	0.166	1.34	0	3.63	0	0.010	L
Ammonia, unfiltered, in milligrams per liter	1990-2017	23	2	0 *	0.030	0.090	07/25/90	0.020	0.080	--	--	--	--	0.020	--
Ammonia, unfiltered, in milligrams per liter	2018	1	0	0.040	NC	0.040	12/19/17	NC	NC	--	--	--	--	0.020	--
Nitrite plus nitrate, in milligrams per liter	1993-2017	45	0	0.420	1.69	3.99	02/12/15	0.780	2.80	--	--	10.0	0	0.040	--
Nitrite plus nitrate, in milligrams per liter	2018-2019	11	0	0.500	2.66	3.44	02/27/18	0.722	3.37	--	--	10.0	0	0.040	--
Nitrate plus nitrite, unfiltered, in milligrams per liter	1990-1993	22	0	0.600	1.45	3.00	12/17/91	0.732	2.48	--	--	--	--	--	--
Nitrate, in milligrams per liter	2002-2017	5	0	1.08	NC	2.83	02/23/17	NC	NC	--	--	10.0	0	--	--
Nitrate, in milligrams per liter	2018	3	0	0.993	NC	3.42	02/27/18	NC	NC	--	--	10.0	0	--	--
Nitrite nitrogen, in milligrams per liter	2002-2017	5	0	0.001	NC	0.036	08/28/02	NC	NC	--	--	0.50	0	0.0010	--
Nitrite nitrogen, in milligrams per liter	2018	3	0	0.003	NC	0.014	02/27/18	NC	NC	--	--	0.50	0	0.0010	--
Nitrite, unfiltered, in milligrams per liter	1991	2	0	0.010	NC	0.030	12/18/90	NC	NC	--	--	--	--	--	--
Orthophosphate, in milligrams per liter	1998-2017	40	1	0 *	0.047	0.128	03/06/01	0.030	0.082	--	--	--	--	0.0040	--
Orthophosphate, in milligrams per liter	2018-2019	8	0	0.034	0.043	0.106	08/22/18	0.035	0.097	--	--	--	--	0.0040	--
Orthophosphate, unfiltered, in milligrams per liter	1991	2	0	0.160	NC	0.190	10/23/90	NC	NC	--	--	--	--	--	--
Phosphorus, in milligrams per liter	1998-2001	15	1	0 *	0.090	0.114	08/29/00	0.038	0.110	--	--	--	--	--	--
Phosphorus, unfiltered, in milligrams per liter	1990-2017	49	0	0.038	0.240	1.07	06/15/16	0.095	0.534	--	--	--	--	0.020	--
Phosphorus, unfiltered, in milligrams per liter	2018-2019	8	0	0.053	0.235	0.698	06/12/19	0.063	0.665	--	--	--	--	0.020	--
Total nitrogen, unfiltered, in milligrams per liter	2012-2017	23	0	1.00	2.08	4.56	02/12/15	1.03	3.33	--	--	--	--	0.050	--
Total nitrogen, unfiltered, in milligrams per liter	2018-2019	8	0	1.06	3.02	3.54	02/28/18	1.09	3.54	--	--	--	--	0.050	--
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2010	3	0	28	NC	7,600	10/21/09	--	NC**	126	2	--	--	1	NC
<i>Escherichia coli</i> , in colonies per 100 milliliters	2002-2008	14	0	5	87	3,400	09/13/06	--	74 **	126	6	--	--	1	L
Fecal coliform, M-FC MF, in colonies per 100 milliliters	1990-2002	24	0	6	94	5,900	08/18/92	16	682	--	--	--	--	--	--

Table 10. Summary of measured constituents and properties for Arkansas River at Catlin Dam near Fowler, Co. (ARKCATCO), station 07119700  
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Fecal streptococci, in colonies per 100 milliliters	1990-1993	23	0	39	206	10,400	08/18/92	90	1,820	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2010	3	0	2,600	NC	24,000	10/21/09	NC	NC	--	--	--	--	--	--
Barium, in micrograms per liter	2017	3	0	56.4	NC	208	02/23/17	NC	NC	1,000	0	.	--	0.010	NC
Barium, in micrograms per liter	2018	3	0	45.8	NC	60.7	11/29/17	NC	NC	1,000	0	.	--	0.010	NC
Beryllium, in micrograms per liter	2017	3	3	0 *	NC	0 *	02/23/17	NC	NC	4.00	0	--	--	0.10	NC
Beryllium, in micrograms per liter	2018	3	3	0 *	NC	0 *	11/29/17	NC	NC	4.00	0	--	--	0.10	NC
Cadmium, in micrograms per liter	1990-1992	6	6	0 *	0 *	0 *	06/13/90	0 *	0 *	2.0	0	10.0	0	--	L
Cadmium, unfiltered, in micrograms per liter	1990-1992	6	1	0 *	1.0	5.0	09/04/91	0.050	5.0	--	--	.	--	--	--
Chromium(VI), in micrograms per liter	1990	1	1	0 *	NC	0 *	06/13/90	NC	NC	11.0	0	16.0	0	--	NC
Chromium, in micrograms per liter	1990-1992	6	6	0 *	0 *	0 *	06/13/90	0 *	0 *	231	0	.	--	--	L
Chromium, unfiltered, in micrograms per liter	1990-1992	6	0	3.0	16.5	170	09/04/91	3.5	164	--	--	.	--	--	--
Cobalt, in micrograms per liter	2017	3	0	0.34	NC	0.56	05/24/17	NC	NC	--	--	.	--	0.010	--
Cobalt, in micrograms per liter	2018	3	0	0.26	NC	0.97	02/27/18	NC	NC	--	--	.	--	0.010	--
Copper, in micrograms per liter	1990-1993	24	3	0 *	1.0	2.0	06/13/90	0.75	2.0	29.3	0	49.6	0	--	L
Copper, unfiltered, in micrograms per liter	1990-1993	24	0	2.0	7.5	130	08/18/92	3.8	42.0	--	--	.	--	--	--
Iron, in micrograms per liter	1990-2017	37	19	0 *	0 *	47.0	07/25/90	0 *	7.3	300	0	.	--	20.0	L
Iron, in micrograms per liter	2018	3	1	0 *	NC	148	02/27/18	NC	NC	300	0	.	--	20.0	NC
Iron, unfiltered, in micrograms per liter	1990-2000	32	0	480	3,700	159,000	08/04/98	999	40,000	1,950	24	.	--	--	H
Lead, in micrograms per liter	1990-1992	6	6	0 *	0 *	0 *	06/13/90	0 *	0 *	10.9	0	281	0	--	L
Lead, unfiltered, in micrograms per liter	1990-1992	6	0	9.0	28.5	280	09/04/91	9.6	272	--	--	50.0	2	--	--
Lithium, in micrograms per liter	2017	3	0	22.3	NC	46.7	02/23/17	NC	NC	--	--	--	--	0.10	--
Lithium, in micrograms per liter	2018	3	0	24.9	NC	55.5	02/27/18	NC	NC	--	--	--	--	0.10	--
Manganese, in micrograms per liter	1990-2017	44	9	0 *	7.0	125	08/04/98	0 *	23.3	50.0	1	.	--	0.50	L
Manganese, in micrograms per liter	2018	3	0	8.4	NC	21.9	02/27/18	NC	NC	50.0	0	.	--	0.50	NC
Manganese, unfiltered, in micrograms per liter	1990-2001	40	0	30.0	153	6,170	08/04/98	61.1	692	--	--	.	--	--	--
Mercury, in micrograms per liter	1990-2017	9	9	0 *	0 *	0 *	06/13/90	0 *	0 *	--	9	.	--	5.0	--
Mercury, in micrograms per liter	2018	3	3	0 *	NC	0 *	11/29/17	NC	NC	--	3	.	--	5.0	--
Mercury, unfiltered, in micrograms per liter	1990-1992	6	5	0 *	0 *	0.50	09/04/91	0 *	0.48	0.010	1	.	--	--	L
Molybdenum, in micrograms per liter	2017	3	0	5.70	NC	6.00	02/23/17	NC	NC	210	0	--	--	0.10	NC
Molybdenum, in micrograms per liter	2018	3	0	5.90	NC	10.5	02/27/18	NC	NC	210	0	--	--	0.10	NC
Nickel, in micrograms per liter	1990-2017	9	0	1.0	2.0	20.0	02/23/17	1.0	15.0	168	0	1,513	0	0.10	L
Nickel, in micrograms per liter	2018	3	0	5.9	NC	23.1	02/27/18	NC	NC	168	0	1,513	0	0.10	NC
Nickel, unfiltered, in micrograms per liter	1990-1992	6	0	7.0	23.0	260	09/04/91	7.5	255	100	2	.	--	--	L
Silver, in micrograms per liter	1990-1992	6	5	0 *	0 *	1.0	06/13/90	0 *	0.95	3.5	0	22.0	0	--	L
Silver, unfiltered, in micrograms per liter	1990-1992	6	5	0 *	0 *	2.0	09/04/91	0 *	1.9	--	--	.	--	--	--
Strontium, in micrograms per liter	2017	3	0	884	NC	1,870	02/23/17	NC	NC	--	--	--	--	0.020	--

Table 10. Summary of measured constituents and properties for Arkansas River at Catlin Dam near Fowler, Co. (ARKCATCO), station 07119700  
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Strontium, in micrograms per liter	2018	3	0	903	NC	2,430	02/27/18	NC	NC	--	--	--	--	0.020	--
Vanadium, in micrograms per liter	2017	3	0	0.900	NC	2.00	08/24/17	NC	NC	--	--	--	--	0.50	--
Vanadium, in micrograms per liter	2018	3	0	0.900	NC	1.30	05/30/18	NC	NC	--	--	--	--	0.50	--
Zinc, in micrograms per liter	1990-1993	24	12	0 *	1.5	7.0	03/26/92	0 *	6.0	428	0	564	0	--	L
Zinc, unfiltered, in micrograms per liter	1990-1993	24	2	0 *	40.0	430	08/18/92	10.0	208	--	--	.	--	--	--
Antimony, in micrograms per liter	2017	3	3	0 *	NC	0 *	02/23/17	NC	NC	5.60	0	--	--	2.0	NC
Antimony, in micrograms per liter	2018	3	3	0 *	NC	0 *	11/29/17	NC	NC	5.60	0	--	--	2.0	NC
Arsenic, in micrograms per liter	1990-2017	9	2	0 *	1.0	2.0	08/21/90	0 *	2.0	--	--	340	0	1.0	--
Arsenic, in micrograms per liter	2018	3	3	0 *	NC	0 *	11/29/17	NC	NC	--	--	340	0	1.0	--
Arsenic, unfiltered in micrograms per liter	1990-1992	6	0	3.0	3.5	4.0	08/21/90	3.0	4.0	0.020	6	.	--	--	H
Boron, in micrograms per liter	2010-2017	5	0	65.6	NC	142	02/23/17	NC	NC	0.75	5	.	--	5.0	NC
Boron, in micrograms per liter	2018	3	0	65.0	NC	155	02/27/18	NC	NC	0.75	3	.	--	5.0	NC
Selenium, in micrograms per liter	1990-2017	107	0	4.0	10.6	23.0	12/17/91	6.0	14.4	4.6	103	18.4	4	0.50	H
Selenium, in micrograms per liter	2018-2019	11	0	5.8	11.9	19.5	02/28/18	7.5	17.3	4.6	11	18.4	1	0.050	H
Selenium, unfiltered, in micrograms per liter	1990-2008	75	0	4.0	10.5	25.0	12/17/91	6.6	15.0	--	--	.	--	0.080	--
1-Naphthol, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
2,4,5-T, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
2,4-D, unfiltered, in micrograms per liter	1991-1992	4	2	0 *	NC	0.040	04/17/92	NC	NC	--	--	--	--	--	--
2-Chloro-4-isopropylamino-6-amino-s-triazine, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
2-Chloro-6-ethylamino-4-amino-s-triazine, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
3-Hydroxy carbofuran, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Alachlor, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Aldicarb sulfone, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Aldicarb sulfoxide, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Aldicarb, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Aldrin, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
alpha-Endosulfan, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Ametryn, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Atrazine, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Bromacil, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Butachlor, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Butylate, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Carbaryl, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Carbofuran, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Carbophenothion, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--

Table 10. Summary of measured constituents and properties for Arkansas River at Catlin Dam near Fowler, Co. (ARKCATCO), station 07119700  
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Carboxin, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Chlordane (technical), unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Chlorpyrifos, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Cyanazine, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Cycloate, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Diazinon, unfiltered, in micrograms per liter	1990-1992	4	1	0 *	NC	0.010	08/21/90	NC	NC	--	--	--	--	--	--
Dichlorprop, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Dieldrin, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Diphenamid, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Disulfoton, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Endrin, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Ethion, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Fonofos, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Heptachlor epoxide, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Heptachlor, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Hexazinone, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Lindane, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Malathion, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Methiocarb, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Methomyl, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Methyl parathion, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Metolachlor, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Metribuzin, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Mirex, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Oxamyl, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
p,p-DDD, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
p,p-DDE, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
p,p-DDT, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
p,p-Ethyl-DDD, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
p,p-Methoxychlor, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Parathion, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Phorate, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Prometon, unfiltered, in micrograms per liter	1990-1992	5	4	0 *	NC	0.100	08/21/90	NC	NC	--	--	--	--	--	--
Prometryn, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Propachlor, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Propazine, unfiltered, recoverable, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--

Table 10. Summary of measured constituents and properties for Arkansas River at Catlin Dam near Fowler, Co. (ARKCATCO), station 07119700  
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Propham, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Propoxur, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Silvex, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Simazine, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Simetryn, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Terbacil, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
Toxaphene, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Tribuphos, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Trifluralin, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Vemolate, unfiltered, in micrograms per liter	1991-1992	4	4	0 *	NC	0 *	07/23/91	NC	NC	--	--	--	--	--	--
PCBs, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Polychlorinated naphthalenes, unfiltered, in micrograms per liter	1990-1992	5	5	0 *	NC	0 *	08/21/90	NC	NC	--	--	--	--	--	--
Uranium (natural), in micrograms per liter	1991-2017	69	0	4.8	8.7	22.4	02/12/15	5.8	14.5	30.0	0	.	--	0.010	L
Uranium (natural), in micrograms per liter	2018-2019	11	0	5.4	12.2	18.4	02/08/19	5.4	18.0	30.0	0	.	--	0.030	M
Uranium (natural), unfiltered, in micrograms per liter	2005-2008	34	0	5.4	9.3	21.7	03/08/05	6.9	14.6	--	--	.	--	0.020	--
Suspended sediment, in milligrams per liter	1990-1993	26	0	41	550	9,460	08/18/92	122	2,223	--	--	--	--	--	--