

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	1990-2017	937	0	4.0	47.0	4,910	06/06/12	23.0	149	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2018-2019	52	0	22.4	55.5	2,070	08/08/19	37.0	75.3	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	1990-2017	283	0	5.8	8.9	12.0	01/24/01	7.2	10.7	5.0	0	--	--	--	L
Dissolved oxygen, in milligrams per liter	2018-2019	28	0	6.5	8.3	10.9	12/06/17	6.9	10.3	5.0	0	--	--	--	L
pH, in standard units	1990-2017	295	0	7.4	8.2	9.0	03/28/12	8.0	8.4	6.5-9.0	0		--	--	L
pH, in standard units	2018-2019	28	0	7.9	8.3	8.6	04/10/18	8.1	8.3	6.5-9.0	0		--	--	L
pH, laboratory, in standard units	1996-1997	18	0	7.5	7.9	8.2	09/18/97	7.7	8.1	6.5-9.0	0		--	--	L
Specific conductance, laboratory, in microsiemens per centimeter	1990-2017	203	0	213	593	1,347	02/23/10	362	750	--	--	.	--	1.0	--
Specific conductance, laboratory, in microsiemens per centimeter	2018-2019	17	0	249	619	1,040	03/06/19	312	757	--	--	.	--	1.0	--
Specific conductance, in microsiemens per centimeter	1990-2017	854	0	151	648	1,300	12/12/91	406	805	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2018-2019	52	0	156	641	1,136	11/13/18	568	738	--	--	.	--	--	--
Temperature, water, degrees Celsius	1990-2017	882	0	0.0	12.5	29.0	07/10/03	3.0	20.5	--	--	--	--	--	--
Temperature, water, degrees Celsius	2018-2019	52	0	2.3	12.0	26.5	08/05/19	3.6	22.4	--	--	--	--	--	--
Temperature, water, degrees Celsius March-November	1990-2017	692	0	0.0	15.5	29.0	07/10/03	7.5	21.5	28.6	1	--	--	--	L
Temperature, water, degrees Celsius March-November	2018-2019	40	0	3.6	16.5	26.5	08/05/19	7.4	23.4	28.6	0	--	--	--	L
Temperature, water, degrees Celsius December-February	1990-2017	190	0	0.0	2.5	10.5	02/22/96	0.5	6.4	14.3	0	--	--	--	L
Temperature, water, degrees Celsius December-February	2018-2019	12	0	2.3	3.5	8.4	01/09/18	2.8	5.9	14.3	0	--	--	--	L
Turbidity, water, unfiltered, monochrome near infra-red in nephelometric turbidity units	2011-2017	84	0	1.5	21.3	957	08/06/16	6.5	66.7	--	--	.	--	--	--
Turbidity, water, unfiltered, monochrome near infra-red in nephelometric turbidity units	2018-2019	28	0	4.4	19.5	1,022	07/23/18	7.9	400	--	--	.	--	--	--
Biochemical oxygen demand, unfiltered, 5 days at 20 degrees Celsius, in milligrams per liter	1990-2007	159	36	0 *	0.90	22.0	10/24/91	0 *	3.4	--	--	.	--	--	--
Dissolved solids dried at 180 degrees C, in milligrams per liter	2009-2014	48	0	176	411	548	12/14/09	338	473	--	--	.	--	20.0	--
Dissolved solids, sum of constituents, in milligrams per liter	2009-2011	10	0	193	349	486	12/14/09	244	450	--	--	.	--	--	--
Hardness, in milligrams per liter	1990-2017	244	0	48.7	200	378	12/13/89	112	270	--	--	.	--	--	--
Hardness, in milligrams per liter	2018-2019	28	0	48.3	193	236	07/10/18	102	224	--	--	.	--	--	--
Suspended solids, in milligrams per liter	1990-2017	120	5	0 *	81.0	10,340	09/12/13	30.2	171	--	--	.	--	15.0	--
Suspended solids, in milligrams per liter	2018-2019	24	6	0 *	36.5	135	06/04/19	0 *	71.5	--	--	.	--	15.0	--
Calcium, in milligrams per liter	1990-2017	244	0	15.1	58.6	110	12/13/89	34.6	78.9	--	--	.	--	0.022	--
Calcium, in milligrams per liter	2018-2019	28	0	15.4	55.7	65.8	11/13/18	29.6	64.0	--	--	.	--	0.022	--
Magnesium, in milligrams per liter	1990-2017	244	0	2.1	12.9	27.7	08/20/02	6.6	18.0	--	--	.	--	0.011	--
Magnesium, in milligrams per liter	2018-2019	28	0	2.4	13.3	17.9	07/10/18	6.8	15.5	--	--	.	--	0.010	--
Potassium, in milligrams per liter	2009-2013	12	0	3.8	5.6	7.2	05/24/11	4.3	6.8	--	--	.	--	0.030	--
Sodium, in milligrams per liter	2009-2013	12	0	8.0	39.2	82.6	12/14/09	19.1	58.3	--	--	.	--	0.060	--
Acid neutralizing capacity, in milligrams per liter	1990-2011	105	0	55.0	129	210	12/13/89	84.9	158	--	--	.	--	4.0	--
Alkalinity, in milligrams per liter	2017	2	0	89.1	NC	99.0	07/05/17	NC	NC	--	--	.	--	4.0	--

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Alkalinity, in milligrams per liter	2018	3	0	103	NC	112	02/06/18	NC	NC	--	--	.	--	4.0	--
Alkalinity, inflection-point titration, in milligrams per liter	1996-2017	15	0	0 *	110	143	02/10/15	58.5	137	--	--	.	--	--	--
Alkalinity, inflection-point titration, in milligrams per liter	2018-2019	5	0	87.3	NC	124	07/10/18	NC	NC	--	--	.	--	--	--
Bicarbonate, in milligrams per liter	1996-2017	15	0	0 *	135	175	02/10/15	71.0	165	--	--	.	--	--	--
Bicarbonate, in milligrams per liter	2018-2019	5	0	106	NC	150	07/10/18	NC	NC	--	--	.	--	--	--
Carbonate, in milligrams per liter	1996-2017	10	0	0 *	0.30	4.4	05/06/13	0.065	2.3	--	--	.	--	--	--
Carbonate, in milligrams per liter	2018-2019	5	0	0.20	NC	0.60	10/03/18	NC	NC	--	--	.	--	--	--
Chloride, in milligrams per liter	1990-2017	135	0	5.1	25.0	260	12/12/91	14.0	54.8	250	1	.	--	0.020	L
Chloride, in milligrams per liter	2018-2019	24	0	48.1	60.2	206	11/13/18	50.9	88.8	250	0	.	--	0.020	L
Fluoride, in milligrams per liter	1990-2017	230	1	0 *	1.7	3.1	09/05/91	1.1	2.2	--	--	.	--	0.010	--
Fluoride, in milligrams per liter	2018-2019	24	0	1.2	1.5	1.9	03/06/19	1.3	1.7	--	--	.	--	0.010	--
Silica, in milligrams per liter	2011	3	0	10.9	NC	15.0	07/11/11	NC	NC	--	--	.	--	0.11	--
Sulfate, in milligrams per liter	1990-2017	235	0	18.6	106	300	08/20/02	54.5	170	250	3	.	--	0.020	M
Sulfate, in milligrams per liter	2018-2019	28	0	16.9	92.9	136	07/10/18	46.5	110	250	0	.	--	0.020	L
Sulfide, unfiltered, in milligrams per liter	1990-1997	16	15	0 *	0 *	0.800	11/12/92	0 *	0 *	0.0020	1	--	--	--	L
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter	1990-2010	96	17	0 *	0.300	1.80	05/17/90	0 *	0.700	--	--	--	--	0.10	--
Ammonia nitrogen, in milligrams per liter	1993-2017	176	45	0 *	0.020	0.481	02/14/06	0 *	0.145	1.71	0	4.35	0	0.010	L
Ammonia nitrogen, in milligrams per liter	2018-2019	12	0	0.012	0.096	0.340	05/18/18	0.014	0.337	1.55	0	4.03	0	0.010	L
Ammonia, unfiltered, in milligrams per liter	1990-2017	122	24	0 *	0.034	1.08	04/02/14	0 *	0.104	--	--	--	--	0.020	--
Ammonia, unfiltered, in milligrams per liter	2018-2019	24	11	0 *	0.023	1.60	09/04/18	0 *	0.218	--	--	--	--	0.020	--
Nitrite plus nitrate, in milligrams per liter	1993-2017	189	0	0.563	1.98	4.41	10/14/08	1.02	3.00	--	--	10.0	0	0.040	--
Nitrite plus nitrate, in milligrams per liter	2018-2019	12	0	0.713	2.21	5.50	10/03/18	0.764	4.27	--	--	10.0	0	0.040	--
Nitrate plus nitrite, unfiltered, in milligrams per liter	1990-1993	39	0	0.570	2.00	4.70	12/13/89	1.20	3.20	--	--	--	--	--	--
Nitrate plus nitrite, unfiltered, in milligrams per liter	2018-2019	21	0	1.60	2.70	5.20	10/03/18	1.80	4.27	--	--	--	--	0.10	--
Nitrate, in milligrams per liter	1993-2010	56	0	0.590	2.41	3.67	02/18/93	1.17	3.00	--	--	10.0	0	--	--
Nitrite nitrogen, in milligrams per liter	1993-2010	56	21	0 *	0.010	0.060	07/29/93	0 *	0.020	--	--	0.50	0	0.0020	--
Nitrite, unfiltered, in milligrams per liter	1990-1993	28	2	0 *	0.020	0.050	10/24/91	0.010	0.030	--	--	--	--	--	--
Orthophosphate, in milligrams per liter	1993-2017	173	2	0 *	0.068	0.983	07/14/08	0.030	0.181	--	--	--	--	0.0040	--
Orthophosphate, in milligrams per liter	2018-2019	12	0	0.060	0.291	1.46	10/03/18	0.112	0.663	--	--	--	--	0.0040	--
Orthophosphate, unfiltered, in milligrams per liter	1990-1993	28	0	0.020	0.080	0.120	02/07/91	0.040	0.110	--	--	--	--	--	--
Phosphorus, unfiltered, in milligrams per liter	1999-2017	168	0	0.058	0.323	13.3	09/12/13	0.167	1.14	--	--	--	--	0.0040	--
Phosphorus, unfiltered, in milligrams per liter	2018-2019	28	0	0.249	0.569	7.34	07/23/18	0.349	2.21	--	--	--	--	0.0040	--
Total nitrogen, unfiltered, in milligrams per liter	2011-2017	73	0	1.37	3.00	31.6	09/12/13	2.14	4.18	--	--	--	--	0.050	--
Total nitrogen, unfiltered, in milligrams per liter	2018-2019	28	0	2.41	3.51	7.44	10/03/18	2.68	4.80	--	--	--	--	0.050	--
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2008-2017	217	0	7	170	77,000	07/02/08	--	216 **	126	125	--	--	1	H

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2018-2019	52	0	20	260	73,000	07/23/18	--	247 **	126	34	--	--	1	H
<i>Escherichia coli</i> , in colonies per 100 milliliters	2001-2008	151	1	1	160	32,000	07/12/01	--	203 **	126	91	--	--	1	H
Fecal coliform, M-FC MF, in colonies per 100 milliliters	1990-2008	268	0	11	240	64,000	12/13/90	40	1,200	--	--	--	--	--	--
Fecal streptococci, in colonies per 100 milliliters	1990-2000	108	0	26	450	66,000	12/13/90	88	1,888	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2008-2017	217	0	172	2,400	260,000	09/12/13	571	20,000	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2018-2019	52	0	370	2,400	980,000	07/23/18	1,089	24,000	--	--	--	--	--	--
Aluminum, in micrograms per liter	1998-2013	20	0	2.1	5.2	394	09/12/13	3.9	24.7	1,438	0	10,071	0	2.2	L
Aluminum, unfiltered, in micrograms per liter	1999-2013	13	0	691	1,540	77,250	09/12/13	708	2,772	1,438	7	10,071	1	3.8	H
Cadmium, in micrograms per liter	1990-2017	171	130	0 *	0 *	3.0	01/17/90	0 *	0.075	1.4	3	6.0	0	0.030	L
Cadmium, in micrograms per liter	2018-2019	24	0	0.071	0.096	0.17	02/06/19	0.071	0.13	1.4	0	6.0	0	0.030	L
Cadmium, unfiltered, in micrograms per liter	1990-2017	170	96	0 *	0 *	5.4	07/26/01	0 *	0.27	--	--	.	--	0.030	--
Cadmium, unfiltered, in micrograms per liter	2018-2019	24	0	0.11	0.15	0.25	03/06/19	0.13	0.20	--	--	.	--	0.030	--
Chromium(VI), in micrograms per liter	1990-1997	95	87	0 *	0 *	3.00	08/16/90	0 *	0 *	11.0	0	16.0	0	--	L
Chromium, in micrograms per liter	1990-2014	142	114	0 *	0 *	2.8	08/20/02	0 *	1.0	148	0	.	--	0.30	L
Chromium, unfiltered, in micrograms per liter	1990-2017	163	41	0 *	1.4	52.2	07/26/01	0 *	4.0	--	--	.	--	0.50	--
Chromium, unfiltered, in micrograms per liter	2018-2019	24	9	0 *	0.65	2.4	06/04/19	0 *	1.3	--	--	.	--	0.50	--
Copper, in micrograms per liter	1990-2017	230	39	0 *	1.4	5.4	07/14/08	0 *	2.4	18.4	0	29.8	0	0.20	L
Copper, in micrograms per liter	2018-2019	28	0	1.2	1.8	3.5	09/04/18	1.5	2.4	18.4	0	29.8	0	0.40	L
Copper, unfiltered, in micrograms per liter	1990-2017	230	4	0 *	4.0	221	07/30/99	2.0	11.8	--	--	.	--	0.20	--
Copper, unfiltered, in micrograms per liter	2018-2019	28	0	2.2	3.5	174	07/23/18	2.5	34.0	--	--	.	--	0.40	--
Iron, in micrograms per liter	1990-2017	163	52	0 *	6.0	160	05/25/95	0 *	22.1	300	0	.	--	10.0	L
Iron, in micrograms per liter	2018-2019	24	3	0 *	17.6	147	02/06/19	7.5	24.2	300	0	.	--	10.0	L
Iron, unfiltered, in micrograms per liter	1990-2017	173	0	152	2,100	121,520	07/26/01	713	6,719	1,000	131	.	--	10.0	H
Iron, unfiltered, in micrograms per liter	2018-2019	24	0	153	753	2,256	06/04/19	288	1,442	1,000	7	.	--	5.0	M
Lead, in micrograms per liter	1990-2017	172	121	0 *	0 *	2.4	09/12/13	0 *	0.12	6.2	0	160	0	0.020	L
Lead, in micrograms per liter	2018-2019	24	0	0.059	0.097	0.24	02/06/19	0.072	0.15	6.2	0	160	0	0.020	L
Lead, unfiltered, in micrograms per liter	1990-2017	231	1	0 *	4.0	1,514	08/06/16	1.2	25.2	--	--	50.0	26	0.020	--
Lead, unfiltered, in micrograms per liter	2018-2019	28	0	0.38	1.4	728	07/23/18	0.58	35.6	--	--	50.0	4	0.060	--
Manganese, in micrograms per liter	1990-2017	233	2	0 *	21.6	513	08/06/16	8.0	50.0	50.0	35	.	--	0.40	H
Manganese, in micrograms per liter	2018-2019	28	0	11.5	40.3	117	02/06/19	21.9	67.0	50.0	10	.	--	0.40	H
Manganese, unfiltered, in micrograms per liter	1990-2017	232	0	14.3	101	15,590	09/12/13	60.0	400	--	--	.	--	0.40	--
Manganese, unfiltered, in micrograms per liter	2018-2019	28	0	48.8	107	6,860	07/23/18	70.3	820	--	--	.	--	0.40	--
Mercury, in micrograms per liter	1998-2013	38	35	0 *	0 *	0.12	06/20/00	0 *	0 *	--	38	.	--	0.0050	--
Mercury, unfiltered, in micrograms per liter	1998-2017	68	44	0 *	0 *	0.41	07/17/00	0 *	0.017	0.010	16	.	--	0.0050	L
Mercury, unfiltered, in micrograms per liter	2018-2019	24	12	0 *	0.003	0.013	10/03/18	0 *	0.009	0.010	3	.	--	0.0050	L

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Molybdenum, unfiltered, in micrograms per liter	2015-2017	25	0	1.70	4.47	9.57	03/07/17	2.70	6.00	--	--	--	--	0.050	--
Molybdenum, unfiltered, in micrograms per liter	2018-2019	24	0	3.48	4.85	9.98	07/10/18	3.73	7.45	--	--	--	--	0.050	--
Nickel, in micrograms per liter	1990-2017	171	48	0 *	1.0	9.1	12/08/98	0 *	3.1	106	0	957	0	0.20	L
Nickel, in micrograms per liter	2018-2019	24	0	1.4	1.7	3.2	10/03/18	1.5	2.4	106	0	957	0	0.20	L
Nickel, unfiltered, in micrograms per liter	1990-2017	231	5	0 *	3.0	85.7	07/05/06	1.9	9.5	100	0	.	--	0.20	L
Nickel, unfiltered, in micrograms per liter	2018-2019	28	0	1.6	2.4	88.0	07/23/18	2.0	19.3	100	0	.	--	0.20	L
Silver, in micrograms per liter	1998-2017	68	68	0 *	0 *	0 *	03/31/98	0 *	0 *	1.4	0	8.7	0	1.0	L
Silver, in micrograms per liter	2018-2019	24	24	0 *	0 *	0 *	10/03/17	0 *	0 *	1.4	0	8.7	0	1.0	L
Silver, unfiltered, in micrograms per liter	1998-2017	75	57	0 *	0 *	0.70	07/26/01	0 *	0.040	--	--	.	--	0.030	--
Silver, unfiltered, in micrograms per liter	2018-2019	24	22	0 *	0 *	0.075	06/04/19	0 *	0 *	--	--	.	--	0.030	--
Zinc, in micrograms per liter	1990-2017	233	50	0 *	6.0	140	01/17/90	0 *	16.7	261	0	345	0	2.0	L
Zinc, in micrograms per liter	2018-2019	28	0	3.1	31.4	64.0	02/06/19	9.0	48.7	261	0	345	0	2.0	L
Zinc, unfiltered, in micrograms per liter	1990-2017	232	9	0 *	29.0	2,274	08/06/16	14.0	109	--	--	.	--	2.0	--
Zinc, unfiltered, in micrograms per liter	2018-2019	28	0	34.3	53.2	1,391	07/23/18	41.1	202	--	--	.	--	2.0	--
Arsenic, in micrograms per liter	1990-2017	93	23	0 *	0.86	2.5	09/12/13	0 *	1.7	--	--	340	0	0.050	--
Arsenic, in micrograms per liter	2018-2019	24	0	0.50	0.65	1.3	08/05/19	0.54	1.1	--	--	340	0	0.10	--
Arsenic, unfiltered in micrograms per liter	1990-2017	152	6	0 *	2.0	259	08/06/16	1.0	10.0	10.0	22	.	--	0.050	L
Arsenic, unfiltered in micrograms per liter	2018-2019	28	0	0.75	1.2	64.5	07/23/18	0.88	7.1	10.0	4	.	--	0.10	L
Boron, in micrograms per liter	1990-2017	137	1	0 *	68.0	174	07/14/08	31.1	99.7	0.75	136	.	--	5.0	H
Boron, in micrograms per liter	2018-2019	12	0	13.6	68.4	112	07/10/18	14.6	101	0.75	12	.	--	5.0	H
Boron, unfiltered, in micrograms per liter	1990-2017	126	1	0 *	68.5	178	07/14/08	35.3	101	0.75	125	.	--	5.0	H
Boron, unfiltered, in micrograms per liter	2018-2019	12	1	0 *	78.2	123	10/03/18	24.5	111	0.75	11	.	--	5.0	H
Cyanide, unfiltered, in milligrams per liter	1990-2017	71	57	0 *	0 *	0.015	04/06/17	0 *	0.004	--	--	.	--	0.010	--
Cyanide, unfiltered, in milligrams per liter	2018-2019	24	18	0 *	0 *	0.014	11/07/17	0 *	0.005	--	--	.	--	0.050	--
Selenium, in micrograms per liter	1995-2017	217	2	0 *	3.0	14.3	08/20/02	1.8	6.0	4.6	48	18.4	0	0.050	H
Selenium, in micrograms per liter	2018-2019	28	0	0.79	2.3	3.5	02/06/19	1.4	2.9	4.6	0	18.4	0	0.050	M
Selenium, unfiltered, in micrograms per liter	1998-2017	132	0	1.0	3.4	16.8	07/26/01	1.8	8.2	--	--	.	--	0.050	--
Selenium, unfiltered, in micrograms per liter	2018-2019	28	0	1.4	2.3	3.3	02/06/19	1.7	3.1	--	--	.	--	0.050	--
1,4-Dichlorobenzene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
1,4-Dichlorobenzene, unfiltered, in micrograms per liter	1998-2013	4	4	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	0.026	--
2,6-Diethylaniline, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0060	--
2-Chloro-4-isopropylamino-6-amino-s-triazine, in micrograms per liter	1998-2003	15	14	0 *	0 *	0.040	05/24/02	0 *	0 *	--	--	--	--	0.0060	--
Acetochlor, in micrograms per liter	1998-2003	15	14	0 *	0 *	0.020	05/24/02	0 *	0 *	--	--	--	--	0.0060	--
Alachlor, in micrograms per liter	1998-2003	15	14	0 *	0 *	0.035	05/24/02	0 *	0 *	--	--	--	--	0.0045	--
alpha-HCH, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0046	--
Atrazine, in micrograms per liter	1998-2003	15	2	0 *	0.012	0.423	05/24/02	0.0010	0.066	--	--	--	--	0.0070	--

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Azinphos-methyl, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.050	--
Benfluralin, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.010	--
Bromacil, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.0	--
Butylate, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0020	--
Camphor, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.060	--
Carbaryl, in micrograms per liter	1998-2009	16	3	0 *	0.282	1.61	06/26/00	0 *	0.869	--	--	--	--	1.0	--
Carbazole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Carbofuran, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.020	--
Chlorpyrifos, in micrograms per liter	1998-2009	16	16	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.12	--
cis-Permethrin, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0060	--
Cyanazine, in micrograms per liter	1998-2003	15	14	0 *	0 *	0.012	07/17/00	0 *	0 *	--	--	--	--	0.018	--
DCPA, in micrograms per liter	1998-2003	15	7	0 *	0.0010	0.0042	07/29/98	0 *	0.0027	--	--	--	--	0.0030	--
Desulfnylfipronil amide, in micrograms per liter	2003	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0090	--
Desulfnylfipronil, in micrograms per liter	2003	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0040	--
Diazinon, in micrograms per liter	1998-2009	16	3	0 *	0.124	0.766	07/09/01	0 *	0.196	--	--	--	--	0.080	--
Dieldrin, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0048	--
Disulfoton, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.021	--
EPTC, in micrograms per liter	1998-2003	15	14	0 *	0 *	0.013	05/24/02	0 *	0 *	--	--	--	--	0.0020	--
Ethalfuralin, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0090	--
Ethoprop, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0050	--
Fipronil sulfide, in micrograms per liter	2003	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0050	--
Fipronil sulfone, in micrograms per liter	2003	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0050	--
Fipronil, in micrograms per liter	2003	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0070	--
Fonofos, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0027	--
Hexachlorobenzene, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Lindane, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0040	--
Linuron, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.035	--
Malathion, in micrograms per liter	1998-2003	15	3	0 *	0.027	0.079	08/21/00	0 *	0.071	--	--	--	--	0.027	--
Metalaxyl, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Methyl parathion, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0060	--
Metolachlor, filtered, in micrograms per liter	1998-2009	16	13	0 *	0 *	0.041	05/24/02	0 *	0.0082	--	--	--	--	0.080	--
Metribuzin, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0060	--
Molinate, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0016	--
DEET, in micrograms per liter	2009	1	0	0.031	NC	0.031	07/29/09	NC	NC	--	--	--	--	0.14	--
Napropamide, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0070	--
p,p-DDE, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0025	--

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Parathion, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.010	--
p-Cresol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.18	--
Pebulate, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0041	--
Pendimethalin, in micrograms per liter	1998-2003	15	12	0 *	0 *	0.023	05/08/00	0 *	0.021	--	--	--	--	0.022	--
Phorate, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.011	--
Prometon, in micrograms per liter	1998-2009	16	1	0 *	0.023	0.057	07/17/00	0.0092	0.054	--	--	--	--	0.20	--
Propachlor, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.010	--
Propanil, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.011	--
Propargite, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.023	--
Propyzamide, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0041	--
Simazine, in micrograms per liter	1998-2003	15	12	0 *	0 *	0.019	07/30/99	0 *	0.014	--	--	--	--	0.0050	--
Tebuthiuron, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.016	--
Terbacil, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.034	--
Terbufos, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.017	--
Thiobencarb, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0048	--
Triallate, in micrograms per liter	1998-2003	15	15	0 *	0 *	0 *	07/29/98	0 *	0 *	--	--	--	--	0.0023	--
Trifluralin, in micrograms per liter	1998-2003	15	6	0 *	0.0017	0.014	08/21/00	0 *	0.0073	--	--	--	--	0.0090	--
1,2,4-Trichlorobenzene, unfiltered, in micrograms per liter	1998-2013	4	4	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	0.080	--
1,2-Dichlorobenzene, unfiltered, in micrograms per liter	1998-2013	4	4	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	0.028	--
1,3-Dichlorobenzene, unfiltered, in micrograms per liter	1998-2013	4	4	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	0.024	--
1-Methylnaphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
2,4-Dinitrotoluene, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
2,6-Dimethylnaphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
2,6-Dinitrotoluene, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
2-Chloronaphthalene, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
2-Methylnaphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
3-beta-Coprostanol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
3-Methyl-1H-indole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
4-Bromophenyl phenyl ether, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
4-Chlorophenyl phenyl ether, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
4-Cumylphenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
4-n-Octylphenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.16	--
4-Nonylphenol (sum of all isomers), in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
4-Nonylphenol diethoxylate (sum of all isomers), in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	5.0	--
4-tert-Octylphenol diethoxylate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.0	--
4-tert-Octylphenol monoethoxylate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.0	--

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
4-tert-Octylphenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.4	--
5-Methyl-1H-benzotriazole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
9,10-Anthraquinone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.16	--
9H-Fluorene, unfiltered, in micrograms per liter	1998-2003	15	4	0 *	0.068	0.233	08/21/00	0 *	0.175	--	--	--	--	2.0	--
Acenaphthene, unfiltered, in micrograms per liter	1998-2003	15	4	0 *	0.036	0.187	08/21/00	0 *	0.154	--	--	--	--	1.8	--
Acenaphthylene, unfiltered, in micrograms per liter	1998-2003	15	9	0 *	0 *	0.214	04/23/03	0 *	0.041	--	--	--	--	2.4	--
Acetophenone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Acetyl hexamethyl tetrahydro naphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.50	--
Anthracene, filtered, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Anthracene, unfiltered, in micrograms per liter	1998-2003	15	3	0 *	0.122	0.513	08/21/00	0 *	0.384	--	--	--	--	2.0	--
Benzo[a]anthracene, unfiltered, in micrograms per liter	1998-2003	15	4	0 *	0.347	2.80	08/21/00	0 *	1.86	--	--	--	--	2.4	--
Benzo[a]pyrene, in micrograms per liter	2009	1	0	0.027	NC	0.027	07/29/09	NC	NC	--	--	--	--	0.080	--
Benzo[a]pyrene, unfiltered, in micrograms per liter	1998-2003	15	3	0 *	0.446	3.73	08/21/00	0 *	2.54	--	--	--	--	1.3	--
Benzo[b]fluoranthene, unfiltered, in micrograms per liter	1998-2003	15	4	0 *	0.447	4.73	07/28/03	0 *	2.98	--	--	--	--	1.9	--
Benzo[ghi]perylene, unfiltered, in micrograms per liter	1998-2003	15	4	0 *	0.362	2.29	07/28/03	0 *	1.98	--	--	--	--	2.8	--
Benzo[k]fluoranthene, unfiltered, in micrograms per liter	1998-2003	15	5	0 *	0.359	3.62	08/21/00	0 *	2.05	--	--	--	--	1.7	--
Benzophenone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Benzyl n-butyl phthalate, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
beta-Sitosterol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	4.0	--
beta-Stigmastanol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
Bis(2-chloroethoxy)methane, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Bis(2-chloroethyl) ether, unfiltered in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Bis(2-chloroisopropyl) ether, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Bis(2-ethylhexyl) phthalate, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Caffeine, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Cholesterol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
Chrysene, unfiltered, in micrograms per liter	1998-2003	15	3	0 *	0.578	4.77	08/21/00	0 *	3.53	--	--	--	--	2.7	--
Cotinine, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Dibenzo[a,h]anthracene, unfiltered, in micrograms per liter	1998-2003	15	5	0 *	0.167	0.682	08/21/00	0 *	0.572	--	--	--	--	3.4	--
Diethyl phthalate, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Dimethyl phthalate, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Di-n-butyl phthalate, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Di-n-octyl phthalate, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
D-Limonene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.14	--
Fluoranthene, in micrograms per liter	2009	1	0	0.067	NC	0.067	07/29/09	NC	NC	--	--	--	--	0.040	--
Fluoranthene, unfiltered, in micrograms per liter	1998-2003	15	3	0 *	0.931	7.77	08/21/00	0 *	5.14	--	--	--	--	2.4	--

Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Hexachlorobutadiene, unfiltered, in micrograms per liter	1998-2013	4	4	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	0.080	--
Hexachlorocyclopentadiene, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Hexachloroethane, unfiltered, in micrograms per liter	1998-2013	4	4	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	0.12	--
Hexahydrohexamethyl cyclopentabenzopyran, in micrograms per liter	2009	1	0	0.082	NC	0.082	07/29/09	NC	NC	--	--	--	--	0.50	--
Indeno[1,2,3-cd]pyrene, unfiltered, in micrograms per liter	1998-2003	15	4	0 *	0.393	2.36	07/28/03	0 *	2.07	--	--	--	--	3.0	--
Indole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.080	--
Isoborneol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.18	--
Isophorone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.080	--
Isophorone, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Isopropylbenzene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.20	--
Isoquinoline, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Menthol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Methyl salicylate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Naphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Naphthalene, unfiltered, in micrograms per liter	1998-2013	16	8	0 *	0.018	0.358	08/21/00	0 *	0.145	--	--	--	--	0.18	--
Nitrobenzene, unfiltered, in micrograms per liter	1998-2003	14	10	0 *	0 *	89.5	08/21/00	0 *	83.9	--	--	--	--	2.0	--
N-Nitrosodimethylamine, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
N-Nitrosodi-n-propylamine, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
N-Nitrosodiphenylamine, unfiltered, in micrograms per liter	1998-1999	3	3	0 *	NC	0 *	07/29/98	NC	NC	--	--	--	--	--	--
Organic carbon, in milligrams per liter	2013	1	0	10.1	NC	10.1	09/12/13	NC	NC	--	--	.	--	0.23	--
Phenanthrene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Phenanthrene, unfiltered, in micrograms per liter	1998-2003	15	3	0 *	0.459	3.15	08/21/00	0 *	2.28	--	--	--	--	2.0	--
Phenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.4	--
Pyrene, in micrograms per liter	2009	1	0	0.051	NC	0.051	07/29/09	NC	NC	--	--	--	--	0.040	--
Pyrene, unfiltered, in micrograms per liter	1998-2003	15	3	0 *	0.754	6.84	08/21/00	0 *	4.18	--	--	--	--	2.2	--
Tetrachloroethene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Tribromomethane, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Tributyl phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.20	--
Triclosan, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.20	--
Triethyl citrate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Triphenyl phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Tris(2-butoxyethyl) phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.80	--
Tris(2-chloroethyl) phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Tris(dichloroisopropyl) phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Uranium (natural), in micrograms per liter	2009-2011	11	0	2.6	4.4	6.1	09/10/09	3.3	5.8	30.0	0	.	--	0.0040	L
Uranium (natural), unfiltered, in micrograms per liter	2013	1	0	26.2	NC	26.2	09/12/13	NC	NC	--	--	.	--	0.014	--



Table 25. Summary of measured constituents and properties for Fountain Creek at Colorado Springs, Co., station 07105500

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; \*, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; \*\*, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Suspended sediment, in milligrams per liter	1990-2017	417	0	2	201	21,300	07/24/11	43	2,840	--	--	--	--	1.0	--
Suspended sediment, in milligrams per liter	2018-2019	17	0	7	47	11,200	07/23/18	13	3,759	--	--	--	--	1.0	--