

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	1990-2017	508	0	35.0	109	7,800	09/14/11	73.4	285	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2018-2019	67	0	57.2	101	908	07/23/18	79.0	134	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	1990-2017	275	0	6.0	8.2	12.2	02/28/00	7.1	9.4	5.0	0	--	--	--	L
Dissolved oxygen, in milligrams per liter	2018-2019	28	0	6.6	8.0	9.6	12/06/17	7.1	9.4	5.0	0	--	--	--	L
pH, in standard units	1990-2017	275	0	6.7	8.0	8.7	03/28/12	7.8	8.2	6.5-9.0	0		--	--	L
pH, in standard units	2018-2019	28	0	7.8	8.1	8.5	04/10/18	7.9	8.2	6.5-9.0	0		--	--	L
pH, laboratory, in standard units	1996-1997	18	0	7.1	7.4	8.1	04/18/96	7.1	7.8	6.5-9.0	0		--	--	L
pH, laboratory, in standard units	2018-2019	2	0	8.1	NC	8.2	03/06/19	NC	NC	6.5-9.0	0		--	0.10	NC
Specific conductance, laboratory, in microsiemens per centimeter	1990-2017	264	0	216	682	1,360	12/12/91	463	803	--	--	.	--	1.0	--
Specific conductance, laboratory, in microsiemens per centimeter	2018-2019	39	0	276	678	1,134	03/06/19	405	745	--	--	.	--	1.0	--
Specific conductance, in microsiemens per centimeter	1990-2017	419	0	130	712	1,340	12/12/91	525	813	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2018-2019	58	0	266	724	1,115	03/06/19	661	787	--	--	.	--	--	--
Temperature, water, degrees Celsius	1990-2017	408	0	4.7	14.5	25.4	07/19/17	9.5	21.0	--	--	--	--	--	--
Temperature, water, degrees Celsius	2018-2019	62	0	7.4	16.2	25.8	07/18/18	9.8	22.2	--	--	--	--	--	--
Temperature, water, degrees Celsius March-November	1990-2017	312	0	5.0	16.5	25.4	07/19/17	12.0	21.6	28.6	0	--	--	--	L
Temperature, water, degrees Celsius March-November	2018-2019	50	0	7.4	17.5	25.8	07/18/18	11.2	22.7	28.6	0	--	--	--	L
Temperature, water, degrees Celsius December-February	1990-2017	96	0	4.7	9.9	13.0	12/01/98	8.0	11.9	14.3	0	--	--	--	L
Temperature, water, degrees Celsius December-February	2018-2019	12	0	8.6	10.3	11.2	01/09/18	9.0	11.0	14.3	0	--	--	--	L
Turbidity, water, unfiltered, monochrome near infra-red in nephelometric turbidity units	2011-2017	87	0	0.80	13.8	1,080	08/10/15	4.1	71.5	--	--	.	--	--	--
Turbidity, water, unfiltered, monochrome near infra-red in nephelometric turbidity units	2018-2019	27	0	4.0	12.0	1,070	07/23/18	6.3	306	--	--	.	--	--	--
Biochemical oxygen demand, unfiltered, 5 days at 20 degrees Celsius, in milligrams per liter	1990-2008	157	4	0 *	8.7	32.0	12/13/90	2.9	17.0	--	--	.	--	--	--
Dissolved solids dried at 180 degrees C, in milligrams per liter	2011-2014	36	0	285	428	501	01/22/13	400	471	--	--	.	--	20.0	--
Dissolved solids dried at 180 degrees C, in milligrams per liter	2019	1	0	673	NC	673	03/06/19	NC	NC	--	--	.	--	20.0	--
Dissolved solids, sum of constituents, in milligrams per liter	2019	1	0	649	NC	649	03/06/19	NC	NC	--	--	.	--	--	--
Hardness, in milligrams per liter	1990-2017	225	0	38.2	185	241	10/15/92	131	212	--	--	.	--	--	--
Hardness, in milligrams per liter	2018-2019	28	0	81.5	199	243	01/29/19	170	226	--	--	.	--	--	--
Suspended solids, in milligrams per liter	1990-2017	120	7	0 *	47.0	446	05/26/94	22.3	106	--	--	.	--	15.0	--
Suspended solids, in milligrams per liter	2018-2019	23	6	0 *	21.0	83.3	06/04/19	0 *	43.0	--	--	.	--	15.0	--
Calcium, in milligrams per liter	1990-2017	225	0	11.4	49.0	67.0	10/15/92	36.8	56.8	--	--	.	--	0.022	--
Calcium, in milligrams per liter	2018-2019	28	0	23.0	53.2	62.9	01/29/19	44.0	58.8	--	--	.	--	0.022	--
Magnesium, in milligrams per liter	1990-2017	225	0	2.4	15.0	21.0	10/24/91	9.4	17.8	--	--	.	--	0.011	--
Magnesium, in milligrams per liter	2018-2019	28	0	5.9	16.7	20.8	01/29/19	13.1	19.2	--	--	.	--	0.010	--
Potassium, in milligrams per liter	2012	1	0	4.2	NC	4.2	07/30/12	NC	NC	--	--	.	--	0.030	--
Potassium, in milligrams per liter	2019	1	0	10.8	NC	10.8	03/06/19	NC	NC	--	--	.	--	0.30	--

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Sodium, in milligrams per liter	2012	1	0	9.6	NC	9.6	07/30/12	NC	NC	--	--	.	--	0.060	--
Sodium, in milligrams per liter	2019	1	0	131	NC	131	03/06/19	NC	NC	--	--	.	--	0.40	--
Acid neutralizing capacity, in milligrams per liter	1990-1997	95	0	56.0	96.0	136	01/17/90	82.4	115	--	--	.	--	--	--
Alkalinity, in milligrams per liter	2016-2017	2	0	90.7	NC	105	02/10/16	NC	NC	--	--	.	--	4.0	--
Alkalinity, in milligrams per liter	2018	3	0	91.8	NC	109	10/03/17	NC	NC	--	--	.	--	4.0	--
Alkalinity, inflection-point titration, in milligrams per liter	2013-2017	15	0	65.3	101	114	10/13/15	87.7	110	--	--	.	--	--	--
Alkalinity, inflection-point titration, in milligrams per liter	2018-2019	5	0	91.6	NC	120	02/06/19	NC	NC	--	--	.	--	--	--
Bicarbonate, in milligrams per liter	2013-2017	15	0	79.4	123	138	10/13/15	105	133	--	--	.	--	--	--
Bicarbonate, in milligrams per liter	2018-2019	5	0	111	NC	146	02/06/19	NC	NC	--	--	.	--	--	--
Bromide, in micrograms per liter	2019	1	0	0.166	NC	0.166	03/06/19	NC	NC	--	--	--	--	0.010	--
Carbonate, in milligrams per liter	2013-2017	10	0	0.10	0.45	1.3	05/03/16	0.17	0.98	--	--	.	--	--	--
Carbonate, in milligrams per liter	2018-2019	5	0	0.10	NC	0.60	10/03/18	NC	NC	--	--	.	--	--	--
Chloride, in milligrams per liter	1990-2017	123	0	5.4	40.0	230	12/12/91	25.6	59.5	250	0	.	--	0.020	L
Chloride, in milligrams per liter	2018-2019	24	0	50.8	62.5	172	03/06/19	54.7	88.0	250	0	.	--	0.020	L
Fluoride, in milligrams per liter	1990-2013	172	0	0.15	1.7	2.6	09/05/91	1.4	2.0	--	--	.	--	0.040	--
Fluoride, in milligrams per liter	2019	1	0	1.8	NC	1.8	03/06/19	NC	NC	--	--	.	--	0.010	--
Silica, in milligrams per liter	2012	1	0	2.3	NC	2.3	07/30/12	NC	NC	--	--	.	--	0.018	--
Silica, in milligrams per liter	2019	1	0	9.5	NC	9.5	03/06/19	NC	NC	--	--	.	--	0.050	--
Sulfate, in milligrams per liter	1990-2017	223	0	20.7	139	210	10/24/91	90.3	170	250	0	.	--	0.020	M
Sulfate, in milligrams per liter	2018-2019	28	0	52.2	130	170	06/30/18	100	147	250	0	.	--	0.020	M
Sulfide, unfiltered, in milligrams per liter	1990-1997	15	14	0 *	0 *	1.00	11/15/89	0 *	0 *	0.0020	1	--	--	--	L
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter	1990-1997	94	0	0.502	8.25	18.0	12/13/89	2.33	13.0	--	--	--	--	--	--
Ammonia nitrogen, in milligrams per liter	1992-2017	183	2	0 *	0.200	11.0	01/20/94	0.035	5.44	2.40	39	6.82	18	0.010	H
Ammonia nitrogen, in milligrams per liter	2018-2019	13	1	0 *	0.163	1.38	05/07/18	0.025	1.08	1.83	0	5.38	0	0.010	M
Ammonia, unfiltered, in milligrams per liter	1990-2017	124	6	0 *	0.072	13.0	11/15/89	0.036	7.95	--	--	--	--	0.020	--
Ammonia, unfiltered, in milligrams per liter	2018-2019	23	3	0 *	0.066	1.58	03/06/18	0.014	0.828	--	--	--	--	0.020	--
Nitrite plus nitrate, in milligrams per liter	1992-2017	198	0	0.482	2.80	6.67	01/04/17	1.63	4.30	--	--	10.0	0	0.040	--
Nitrite plus nitrate, in milligrams per liter	2018-2019	28	0	1.71	4.93	7.15	12/06/17	3.51	6.15	--	--	10.0	0	0.040	--
Nitrate plus nitrite, unfiltered, in milligrams per liter	1990-1993	39	0	0.400	1.70	3.40	11/12/92	1.00	2.60	--	--	--	--	--	--
Nitrate plus nitrite, unfiltered, in milligrams per liter	2018-2019	20	0	2.70	4.55	6.40	06/05/18	3.33	6.17	--	--	--	--	0.10	--
Nitrate, in milligrams per liter	1992-1997	57	0	0.870	2.26	4.42	11/21/96	1.53	3.60	--	--	10.0	0	--	--
Nitrate, in milligrams per liter	2019	1	0	5.19	NC	5.19	03/06/19	NC	NC	--	--	10.0	0	--	--
Nitrite nitrogen, in milligrams per liter	1992-1997	57	1	0 *	0.150	1.60	01/18/96	0.070	0.213	--	--	0.50	1	--	--
Nitrite nitrogen, in milligrams per liter	2019	1	0	0.741	NC	0.741	03/06/19	NC	NC	--	--	0.50	1	0.0010	--
Nitrite, unfiltered, in milligrams per liter	1990-1993	28	0	0.030	0.180	1.00	04/11/91	0.087	0.653	--	--	--	--	--	--
Orthophosphate, in milligrams per liter	1992-2017	194	0	0.030	0.270	2.90	02/27/92	0.080	1.49	--	--	--	--	0.0040	--

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Orthophosphate, in milligrams per liter	2018-2019	28	0	0.060	0.204	0.671	10/03/18	0.116	0.377	--	--	--	--	0.0040	--
Orthophosphate, unfiltered, in milligrams per liter	1990-1993	28	0	0.590	2.55	3.50	11/15/90	1.30	3.30	--	--	--	--	--	--
Phosphorus, unfiltered, in milligrams per liter	1998-2017	161	0	0.107	0.503	7.70	08/09/13	0.271	1.74	--	--	--	--	0.0040	--
Phosphorus, unfiltered, in milligrams per liter	2018-2019	27	0	0.291	0.486	3.16	07/23/18	0.315	0.933	--	--	--	--	0.0040	--
Total nitrogen, unfiltered, in milligrams per liter	2011-2017	78	0	1.83	5.11	26.1	08/09/13	3.38	7.03	--	--	--	--	0.050	--
Total nitrogen, unfiltered, in milligrams per liter	2018-2019	27	0	4.01	6.52	8.72	10/03/18	4.36	7.97	--	--	--	--	0.050	--
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2008-2017	151	0	20	210	82,000	08/06/16	--	322 **	126	97	--	--	1	H
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2018-2019	51	0	48	240	65,000	07/23/18	--	351 **	126	41	--	--	1	H
<i>Escherichia coli</i> , in colonies per 100 milliliters	2001-2008	42	0	20	180	46,000	07/20/06	--	377 **	126	27	--	--	1	H
Fecal coliform, M-FC MF, in colonies per 100 milliliters	1990-2008	153	2	0 *	300	45,000	03/07/91	60	1,400	--	--	--	--	--	--
Fecal streptococci, in colonies per 100 milliliters	1990-2003	105	0	42	350	23,000	03/07/91	110	1,416	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2008-2017	151	0	520	2,400	240,000	07/02/08	1,200	24,000	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2018-2019	51	0	820	2,400	820,000	07/23/18	1,600	24,000	--	--	--	--	--	--
Aluminum, in micrograms per liter	1998-2012	13	0	5.6	15.7	101	07/30/12	6.5	22.4	1,134	0	7,946	0	2.2	L
Aluminum, in micrograms per liter	2019	1	0	16.0	NC	16.0	03/06/19	NC	NC	1,134	0	7,946	0	--	NC
Aluminum, unfiltered, in micrograms per liter	1998-2012	16	0	197	994	35,235	07/30/12	319	2,176	1,134	8	7,946	1	3.8	M
Barium, in micrograms per liter	2012	1	0	22.3	NC	22.3	07/30/12	NC	NC	1,000	0	.	--	0.070	NC
Barium, in micrograms per liter	2019	1	0	36.0	NC	36.0	03/06/19	NC	NC	1,000	0	.	--	--	NC
Barium, unfiltered, in micrograms per liter	2012	1	0	1,252	NC	1,252	07/30/12	NC	NC	--	--	.	--	0.30	--
Beryllium, in micrograms per liter	2019	1	0	0.014	NC	0.014	03/06/19	NC	NC	4.00	0	--	--	--	NC
Cadmium, in micrograms per liter	1990-2017	159	110	0 *	0 *	2.0	10/15/92	0 *	0.075	1.1	1	4.9	0	0.030	L
Cadmium, in micrograms per liter	2018-2019	24	6	0 *	0.063	0.095	05/14/19	0 *	0.076	1.1	0	4.9	0	0.030	L
Cadmium, unfiltered, in micrograms per liter	1990-2012	126	103	0 *	0 *	1.0	06/20/90	0 *	0.12	--	--	.	--	0.40	--
Chromium(VI), in micrograms per liter	1990-1997	95	85	0 *	0 *	5.00	07/26/90	0 *	0 *	11.0	0	16.0	0	--	L
Chromium, in micrograms per liter	1990-2014	131	77	0 *	0 *	4.0	12/13/89	0 *	2.0	123	0	.	--	0.30	L
Chromium, in micrograms per liter	2019	1	1	0 *	NC	0 *	03/06/19	NC	NC	123	0	.	--	--	NC
Chromium, unfiltered, in micrograms per liter	1990-2017	155	37	0 *	1.2	20.6	07/30/12	0 *	3.0	--	--	.	--	0.50	--
Chromium, unfiltered, in micrograms per liter	2018-2019	23	4	0 *	0.62	1.9	06/04/19	0 *	1.0	--	--	.	--	0.50	--
Cobalt, in micrograms per liter	2019	1	0	0.69	NC	0.69	03/06/19	NC	NC	--	--	.	--	--	--
Copper, in micrograms per liter	1990-2017	221	5	0 *	3.0	10.0	02/07/91	1.5	5.0	15.2	0	24.0	0	0.20	L
Copper, in micrograms per liter	2018-2019	28	1	0 *	2.0	3.2	09/04/18	1.6	2.7	15.2	0	24.0	0	0.40	L
Copper, unfiltered, in micrograms per liter	1990-2017	222	1	0 *	6.4	137	07/20/06	4.0	14.0	--	--	.	--	0.20	--
Copper, unfiltered, in micrograms per liter	2018-2019	27	0	3.3	4.8	59.8	07/23/18	4.1	16.4	--	--	.	--	0.40	--
Iron, in micrograms per liter	1990-2017	152	4	0 *	36.5	770	03/24/94	22.0	58.1	300	1	.	--	10.0	L
Iron, in micrograms per liter	2018-2019	24	0	23.8	33.1	56.1	02/06/19	25.5	41.9	300	0	.	--	10.0	L

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 0710530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Iron, unfiltered, in micrograms per liter	1990-2017	162	1	0 *	885	68,350	07/30/12	409	2,841	1,000	73	.	--	10.0	M
Iron, unfiltered, in micrograms per liter	2018-2019	23	0	201	420	1,486	06/04/19	244	858	1,000	2	.	--	5.0	L
Lead, in micrograms per liter	1990-2017	160	76	0 *	0.15	4.0	09/20/90	0 *	0.64	4.9	0	125	0	0.020	L
Lead, in micrograms per liter	2018-2019	24	0	0.15	0.23	0.42	07/10/18	0.17	0.31	4.9	0	125	0	0.020	L
Lead, unfiltered, in micrograms per liter	1990-2017	223	2	0 *	3.0	527	08/09/13	1.2	24.6	--	--	50.0	23	0.020	--
Lead, unfiltered, in micrograms per liter	2018-2019	27	0	0.57	0.93	224	07/23/18	0.69	11.9	--	--	50.0	1	0.060	--
Lithium, in micrograms per liter	2019	1	0	46.0	NC	46.0	03/06/19	NC	NC	--	--	--	--	--	--
Manganese, in micrograms per liter	1990-2017	225	0	2.0	45.1	297	07/29/13	22.0	72.0	50.0	97	.	--	0.40	H
Manganese, in micrograms per liter	2018-2019	28	0	17.2	36.2	73.7	01/29/19	24.2	56.6	50.0	5	.	--	0.40	H
Manganese, unfiltered, in micrograms per liter	1990-2017	224	0	31.3	100	9,100	08/09/13	54.7	272	--	--	.	--	0.40	--
Manganese, unfiltered, in micrograms per liter	2018-2019	27	0	41.5	68.5	2,555	07/23/18	54.0	302	--	--	.	--	0.40	--
Mercury, in micrograms per liter	1998-2003	30	30	0 *	0 *	0 *	03/31/98	0 *	0 *	--	30	.	--	0.018	--
Mercury, unfiltered, in micrograms per liter	1998-2003	26	22	0 *	0 *	0.013	03/05/02	0 *	0.009	0.010	3	.	--	0.018	L
Molybdenum, in micrograms per liter	2019	1	0	6.60	NC	6.60	03/06/19	NC	NC	210	0	--	--	--	NC
Molybdenum, unfiltered, in micrograms per liter	2015-2017	25	0	2.01	3.88	4.66	01/04/17	2.66	4.41	--	--	--	--	0.050	--
Molybdenum, unfiltered, in micrograms per liter	2018-2019	23	0	3.01	4.28	10.3	05/14/19	3.28	6.13	--	--	--	--	0.050	--
Nickel, in micrograms per liter	1990-2017	158	7	0 *	2.6	9.0	04/19/90	1.3	4.8	87.5	0	788	0	0.20	L
Nickel, in micrograms per liter	2018-2019	24	0	1.6	1.9	2.3	04/03/19	1.7	2.2	87.5	0	788	0	0.20	L
Nickel, unfiltered, in micrograms per liter	1990-2017	221	0	1.3	3.9	49.2	07/26/05	2.0	8.9	100	0	.	--	0.20	L
Nickel, unfiltered, in micrograms per liter	2018-2019	27	0	1.9	2.4	32.3	07/23/18	2.0	6.4	100	0	.	--	0.20	L
Silver, in micrograms per liter	1998-2017	57	57	0 *	0 *	0 *	03/31/98	0 *	0 *	0.92	0	5.8	0	1.0	L
Silver, in micrograms per liter	2018-2019	23	23	0 *	0 *	0 *	10/03/17	0 *	0 *	0.92	0	5.8	0	1.0	L
Silver, unfiltered, in micrograms per liter	1998-2012	32	20	0 *	0 *	0.51	07/30/12	0 *	0.22	--	--	.	--	0.015	--
Strontium, in micrograms per liter	2019	1	0	396	NC	396	03/06/19	NC	NC	--	--	--	--	--	--
Vanadium, in micrograms per liter	2019	1	0	0.400	NC	0.400	03/06/19	NC	NC	--	--	--	--	--	--
Zinc, in micrograms per liter	1990-2017	225	3	0 *	28.0	91.0	01/17/90	11.0	44.0	212	0	280	0	2.0	L
Zinc, in micrograms per liter	2018-2019	28	0	7.2	35.0	53.0	03/06/19	20.3	45.9	212	0	280	0	2.0	L
Zinc, unfiltered, in micrograms per liter	1990-2017	224	0	10.0	44.3	875	08/09/13	30.0	80.0	--	--	.	--	2.0	--
Zinc, unfiltered, in micrograms per liter	2018-2019	27	0	29.9	47.2	486	07/23/18	38.2	111	--	--	.	--	2.0	--
Antimony, in micrograms per liter	2019	1	0	0.390	NC	0.390	03/06/19	NC	NC	5.60	0	--	--	--	NC
Arsenic, in micrograms per liter	1990-2017	82	14	0 *	0.77	4.0	12/03/02	0 *	1.7	--	--	340	0	0.050	--
Arsenic, in micrograms per liter	2018-2019	24	1	0 *	0.58	1.0	08/05/19	0.46	0.77	--	--	340	0	0.10	--
Arsenic, unfiltered in micrograms per liter	1990-2017	144	13	0 *	1.6	46.9	07/05/06	0.73	9.3	10.0	20	.	--	0.050	L
Arsenic, unfiltered in micrograms per liter	2018-2019	27	0	0.48	0.86	27.8	07/23/18	0.67	3.0	10.0	1	.	--	0.10	L
Boron, in micrograms per liter	1990-2017	145	0	12.6	140	279	06/26/01	50.0	212	0.75	145	.	--	5.0	H
Boron, in micrograms per liter	2018-2019	28	0	33.2	117	169	07/10/18	83.2	154	0.75	28	.	--	5.0	H

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Boron, unfiltered, in micrograms per liter	1990-2017	144	1	0 *	146	276	08/14/00	55.8	220	0.75	143	.	--	5.0	H
Boron, unfiltered, in micrograms per liter	2018-2019	27	0	50.2	135	221	07/10/18	83.9	162	0.75	27	.	--	5.0	H
Cyanide, unfiltered, in milligrams per liter	1990-2003	42	41	0 *	0 *	0.010	11/15/89	0 *	0 *	--	--	.	--	0.0090	--
Selenium, in micrograms per liter	1995-2017	195	0	0.75	2.7	7.7	06/20/00	1.9	4.3	4.6	25	18.4	0	0.050	M
Selenium, in micrograms per liter	2018-2019	28	0	1.1	2.7	4.4	06/30/18	1.9	3.4	4.6	0	18.4	0	0.050	M
Selenium, unfiltered, in micrograms per liter	1998-2017	126	0	1.2	2.6	7.4	08/19/98	1.9	5.3	--	--	.	--	0.050	--
Selenium, unfiltered, in micrograms per liter	2018-2019	27	0	1.3	2.8	4.8	06/30/18	2.0	3.2	--	--	.	--	0.050	--
1,4-Dichlorobenzene, in micrograms per liter	2009	1	0	0.066	NC	0.066	07/29/09	NC	NC	--	--	--	--	0.040	--
2,6-Diethylaniline, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0060	--
2-Chloro-4-isopropylamino-6-amino-s-triazine, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0060	--
Acetochlor, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0060	--
Alachlor, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0045	--
alpha-HCH, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0046	--
Atrazine, in micrograms per liter	2003	2	0	0.0079	NC	0.011	07/28/03	NC	NC	--	--	--	--	0.0070	--
Azinphos-methyl, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.050	--
Benfluralin, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.010	--
Bromacil, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.0	--
Butylate, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0020	--
Camphor, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.060	--
Carbaryl, in micrograms per liter	2003-2009	3	0	0.230	NC	0.466	04/23/03	NC	NC	--	--	--	--	1.0	--
Carbazole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Carbofuran, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.020	--
Chlorpyrifos, in micrograms per liter	2003-2009	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.12	--
cis-Permethrin, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0060	--
Cyanazine, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.018	--
DCEP, in micrograms per liter	2003	2	1	0 *	NC	0.0049	07/28/03	NC	NC	--	--	--	--	0.0030	--
Desulfnylfipronil amide, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0090	--
Desulfnylfipronil, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0040	--
Diazinon, in micrograms per liter	2003-2009	3	1	0 *	NC	0.057	07/28/03	NC	NC	--	--	--	--	0.080	--
Dieldrin, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0048	--
Disulfoton, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.021	--
EPTC, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0020	--
Ethalfuralin, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0090	--
Ethoprop, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0050	--
Fipronil sulfide, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0050	--
Fipronil sulfone, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0050	--

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Fipronil, in micrograms per liter	2003	2	1	0 *	NC	0.0050	04/23/03	NC	NC	--	--	--	--	0.0070	--
Fonofos, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0027	--
Lindane, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0040	--
Linuron, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.035	--
Malathion, in micrograms per liter	2003	2	1	0 *	NC	0.039	07/28/03	NC	NC	--	--	--	--	0.027	--
Metalaxyl, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Methyl parathion, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0060	--
Metolachlor, filtered, in micrograms per liter	2003-2009	3	3	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.080	--
Metribuzin, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0060	--
Molinate, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0016	--
DEET, in micrograms per liter	2009	1	0	0.075	NC	0.075	07/29/09	NC	NC	--	--	--	--	0.14	--
Napropamide, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0070	--
p,p-DDE, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0025	--
Parathion, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.010	--
p-Cresol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.18	--
Pebulate, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0041	--
Pendimethalin, in micrograms per liter	2003	2	1	0 *	NC	0.017	04/23/03	NC	NC	--	--	--	--	0.022	--
Phorate, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.011	--
Prometon, in micrograms per liter	2003-2009	3	1	0 *	NC	0.019	07/28/03	NC	NC	--	--	--	--	0.20	--
Propachlor, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.010	--
Propanil, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.011	--
Propargite, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.023	--
Propyzamide, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0041	--
Simazine, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0050	--
Tebuthiuron, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.016	--
Terbacil, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.034	--
Terbufos, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.017	--
Thiobencarb, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0048	--
Triallate, in micrograms per liter	2003	2	2	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	0.0023	--
Trifluralin, in micrograms per liter	2003	2	0	0.0016	NC	0.0076	04/23/03	NC	NC	--	--	--	--	0.0090	--
1-Methylnaphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
2,6-Dimethylnaphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
2-Methylnaphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
3-beta-Coprostanol, in micrograms per liter	2009	1	0	1.10	NC	1.10	07/29/09	NC	NC	--	--	--	--	2.0	--
3-Methyl-1H-indole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
4-Cumylphenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
4-n-Octylphenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.16	--
4-Nonylphenol (sum of all isomers), in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
4-Nonylphenol diethoxylate (sum of all isomers), in micrograms per liter	2009	1	0	1.80	NC	1.80	07/29/09	NC	NC	--	--	--	--	5.0	--
4-tert-Octylphenol diethoxylate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.0	--
4-tert-Octylphenol monoethoxylate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.0	--
4-tert-Octylphenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.4	--
5-Methyl-1H-benzotriazole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
9,10-Anthraquinone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.16	--
9H-Fluorene, unfiltered, in micrograms per liter	2003	1	0	0.193	NC	0.193	04/23/03	NC	NC	--	--	--	--	2.0	--
Acenaphthene, unfiltered, in micrograms per liter	2003	1	0	0.118	NC	0.118	04/23/03	NC	NC	--	--	--	--	1.8	--
Acenaphthylene, unfiltered, in micrograms per liter	2003	1	0	0.224	NC	0.224	04/23/03	NC	NC	--	--	--	--	2.4	--
Acetophenone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Acetyl hexamethyl tetrahydro naphthalene, in micrograms per liter	2009	1	0	0.060	NC	0.060	07/29/09	NC	NC	--	--	--	--	0.50	--
Anthracene, filtered, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Anthracene, unfiltered, in micrograms per liter	2003	1	0	0.294	NC	0.294	04/23/03	NC	NC	--	--	--	--	2.0	--
Benzo[a]anthracene, unfiltered, in micrograms per liter	2003	1	0	0.589	NC	0.589	04/23/03	NC	NC	--	--	--	--	2.4	--
Benzo[a]pyrene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.080	--
Benzo[a]pyrene, unfiltered, in micrograms per liter	2003	1	0	0.772	NC	0.772	04/23/03	NC	NC	--	--	--	--	1.3	--
Benzo[b]fluoranthene, unfiltered, in micrograms per liter	2003	1	0	1.20	NC	1.20	04/23/03	NC	NC	--	--	--	--	1.9	--
Benzo[ghi]perylene, unfiltered, in micrograms per liter	2003	1	0	0.682	NC	0.682	04/23/03	NC	NC	--	--	--	--	2.8	--
Benzo[k]fluoranthene, unfiltered, in micrograms per liter	2003	1	0	0.470	NC	0.470	04/23/03	NC	NC	--	--	--	--	1.7	--
Benzophenone, in micrograms per liter	2009	1	0	0.096	NC	0.096	07/29/09	NC	NC	--	--	--	--	0.12	--
beta-Sitosterol, in micrograms per liter	2009	1	0	2.10	NC	2.10	07/29/09	NC	NC	--	--	--	--	4.0	--
beta-Stigmastanol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
Caffeine, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Cholesterol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	2.0	--
Chrysene, unfiltered, in micrograms per liter	2003	1	0	0.940	NC	0.940	04/23/03	NC	NC	--	--	--	--	2.7	--
Cotinine, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Dibenzo[a,h]anthracene, unfiltered, in micrograms per liter	2003	1	0	0.242	NC	0.242	04/23/03	NC	NC	--	--	--	--	3.4	--
D-Limonene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.14	--
Fluoranthene, in micrograms per liter	2009	1	0	0.054	NC	0.054	07/29/09	NC	NC	--	--	--	--	0.040	--
Fluoranthene, unfiltered, in micrograms per liter	2003	1	0	2.01	NC	2.01	04/23/03	NC	NC	--	--	--	--	2.4	--
Hexahydrohexamethyl cyclopentabenzopyran, in micrograms per liter	2009	1	0	0.690	NC	0.690	07/29/09	NC	NC	--	--	--	--	0.50	--
Indeno[1,2,3-cd]pyrene, unfiltered, in micrograms per liter	2003	1	0	0.564	NC	0.564	04/23/03	NC	NC	--	--	--	--	3.0	--
Indole, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.080	--
Isoborneol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.18	--

Table 28. Summary of measured constituents and properties for Fountain Creek below Janitell Rd. below Colorado Springs, Co., station 07105530
 [--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Isophorone, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.080	--
Isopropylbenzene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.20	--
Isoquinoline, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Menthol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.40	--
Methyl salicylate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Naphthalene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Naphthalene, unfiltered, in micrograms per liter	2003	1	0	0.114	NC	0.114	04/23/03	NC	NC	--	--	--	--	1.8	--
Nitrobenzene, unfiltered, in micrograms per liter	2003	1	1	0 *	NC	0 *	04/23/03	NC	NC	--	--	--	--	2.0	--
Organic carbon, in milligrams per liter	2019	1	0	6.1	NC	6.1	03/06/19	NC	NC	--	--	.	--	0.23	--
Phenanthrene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.040	--
Phenanthrene, unfiltered, in micrograms per liter	2003	1	0	1.02	NC	1.02	04/23/03	NC	NC	--	--	--	--	2.0	--
Phenol, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	1.4	--
Pyrene, in micrograms per liter	2009	1	0	0.048	NC	0.048	07/29/09	NC	NC	--	--	--	--	0.040	--
Pyrene, unfiltered, in micrograms per liter	2003	1	0	1.64	NC	1.64	04/23/03	NC	NC	--	--	--	--	2.2	--
Tetrachloroethene, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Tribromomethane, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.10	--
Tributyl phosphate, in micrograms per liter	2009	1	0	0.092	NC	0.092	07/29/09	NC	NC	--	--	--	--	0.20	--
Triclosan, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.20	--
Triethyl citrate, in micrograms per liter	2009	1	0	0.280	NC	0.280	07/29/09	NC	NC	--	--	--	--	0.40	--
Triphenyl phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.12	--
Tris(2-butoxyethyl) phosphate, in micrograms per liter	2009	1	1	0 *	NC	0 *	07/29/09	NC	NC	--	--	--	--	0.80	--
Tris(2-chloroethyl) phosphate, in micrograms per liter	2009	1	0	0.330	NC	0.330	07/29/09	NC	NC	--	--	--	--	0.10	--
Tris(dichloroisopropyl) phosphate, in micrograms per liter	2009	1	0	0.350	NC	0.350	07/29/09	NC	NC	--	--	--	--	0.12	--
Uranium (natural), in micrograms per liter	2012	1	0	1.0	NC	1.0	07/30/12	NC	NC	30.0	0	.	--	0.0040	NC
Uranium (natural), in micrograms per liter	2019	1	0	2.3	NC	2.3	03/06/19	NC	NC	30.0	0	.	--	0.030	NC
Uranium (natural), unfiltered, in micrograms per liter	2012	1	0	18.2	NC	18.2	07/30/12	NC	NC	--	--	.	--	0.014	--
Suspended sediment, in milligrams per liter	2000-2017	231	0	6	171	7,940	05/04/15	26	2,292	--	--	--	--	1.0	--
Suspended sediment, in milligrams per liter	2018-2019	43	0	9	54	5,310	05/18/18	15	1,848	--	--	--	--	1.0	--