

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	2003-2017	168	0	0.10	3.7	1,710	09/14/11	1.3	54.8	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2018-2019	19	0	0.97	1.9	6.7	11/08/17	1.0	5.7	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	2003-2017	48	0	4.4	7.4	11.6	01/04/17	5.5	9.2	5.0	3	--	--	--	L
Dissolved oxygen, in milligrams per liter	2018-2019	17	0	6.5	8.5	11.7	01/17/18	6.8	11.2	5.0	0	--	--	--	L
pH, in standard units	2003-2017	50	0	7.7	8.2	8.7	06/06/12	8.0	8.4	6.5-9.0	0	--	--	--	L
pH, in standard units	2018-2019	17	0	7.9	8.4	8.5	04/27/18	8.2	8.5	6.5-9.0	0	--	--	--	L
pH, laboratory, in standard units	2019	1	0	8.4	NC	8.4	03/11/19	NC	NC	6.5-9.0	0	--	--	0.10	NC
Specific conductance, laboratory, in microsiemens per centimeter	2004-2013	32	0	374	933	1,271	04/02/10	518	1,231	--	--	.	--	1.0	--
Specific conductance, laboratory, in microsiemens per centimeter	2019	1	0	1,695	NC	1,695	03/11/19	NC	NC	--	--	.	--	5.0	--
Specific conductance, in microsiemens per centimeter	2003-2017	151	0	122	1,100	1,630	03/29/04	472	1,321	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2018-2019	18	0	830	1,173	1,739	01/31/19	981	1,400	--	--	.	--	--	--
Temperature, water, degrees Celsius	2003-2017	153	0	0.0	19.5	32.0	07/16/07	12.7	25.0	--	--	--	--	--	--
Temperature, water, degrees Celsius	2018-2019	18	0	0.0	14.1	28.4	07/10/18	0.4	24.5	--	--	--	--	--	--
Temperature, water, degrees Celsius March-November	2003-2017	147	0	5.5	20.0	32.0	07/16/07	13.4	25.0	28.6	3	--	--	--	L
Temperature, water, degrees Celsius March-November	2018-2019	15	0	6.5	16.1	28.4	07/10/18	9.1	24.7	28.6	0	--	--	--	L
Temperature, water, degrees Celsius December-February	2013-2017	6	0	0.0	4.7	9.9	12/10/15	0.0	9.7	14.3	0	--	--	--	L
Temperature, water, degrees Celsius December-February	2018-2019	3	0	0.0	NC	0.4	12/11/18	NC	NC	14.3	0	--	--	--	NC
Dissolved solids dried at 180 degrees C, in milligrams per liter	2019	1	0	1,081	NC	1,081	03/11/19	NC	NC	--	--	.	--	20.0	--
Dissolved solids, sum of constituents, in milligrams per liter	2019	1	0	1,027	NC	1,027	03/11/19	NC	NC	--	--	.	--	--	--
Hardness, in milligrams per liter	2019	1	0	476	NC	476	03/11/19	NC	NC	--	--	.	--	--	--
Calcium, in milligrams per liter	2019	1	0	149	NC	149	03/11/19	NC	NC	--	--	.	--	0.022	--
Magnesium, in milligrams per liter	2019	1	0	24.9	NC	24.9	03/11/19	NC	NC	--	--	.	--	0.011	--
Potassium, in milligrams per liter	2019	1	0	5.9	NC	5.9	03/11/19	NC	NC	--	--	.	--	0.30	--
Sodium, in milligrams per liter	2019	1	0	163	NC	163	03/11/19	NC	NC	--	--	.	--	0.40	--
Bromide, in micrograms per liter	2019	1	0	0.238	NC	0.238	03/11/19	NC	NC	--	--	--	--	0.010	--
Chloride, in milligrams per liter	2019	1	0	253	NC	253	03/11/19	NC	NC	250	1	.	--	0.020	NC
Fluoride, in milligrams per liter	2019	1	0	0.26	NC	0.26	03/11/19	NC	NC	--	--	.	--	0.010	--
Silica, in milligrams per liter	2019	1	0	18.8	NC	18.8	03/11/19	NC	NC	--	--	.	--	0.050	--
Sulfate, in milligrams per liter	2019	1	0	280	NC	280	03/11/19	NC	NC	250	1	.	--	0.020	NC
Ammonia nitrogen, in milligrams per liter	2010-2013	7	1	0 *	0.080	2.65	06/23/10	0.002	2.26	1.45	1	4.64	0	0.010	H
Ammonia nitrogen, in milligrams per liter	2019	1	0	0.014	NC	0.014	03/11/19	NC	NC	1.13	0	2.22	0	0.010	NC
Ammonia, unfiltered, in milligrams per liter	2016-2017	9	8	0 *	0 *	0.027	05/12/16	0 *	0.014	--	--	--	--	0.020	--
Ammonia, unfiltered, in milligrams per liter	2018-2019	12	10	0 *	0 *	0.030	01/17/18	0 *	0.029	--	--	--	--	0.020	--
Nitrite plus nitrate, in milligrams per liter	2010-2013	7	0	0.149	0.610	4.36	06/23/10	0.175	3.78	--	--	10.0	0	0.040	--
Nitrite plus nitrate, in milligrams per liter	2019	1	0	3.55	NC	3.55	03/11/19	NC	NC	--	--	10.0	0	0.040	--
Nitrate, in milligrams per liter	2019	1	0	3.54	NC	3.54	03/11/19	NC	NC	--	--	10.0	0	--	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Nitrite nitrogen, in milligrams per liter	2019	1	0	0.003	NC	0.003	03/11/19	NC	NC	--	--	0.50	0	0.0010	--
Orthophosphate, in milligrams per liter	2010-2013	7	0	0.070	0.098	2.52	06/23/10	0.071	2.06	--	--	--	--	0.0040	--
Orthophosphate, in milligrams per liter	2019	1	0	0.069	NC	0.069	03/11/19	NC	NC	--	--	--	--	0.0040	--
Phosphorus, unfiltered, in milligrams per liter	2010-2017	31	0	0.013	0.079	6.46	06/06/12	0.038	1.11	0.17	6	--	--	0.0040	L
Phosphorus, unfiltered, in milligrams per liter	2018-2019	12	0	0.016	0.043	0.163	03/29/18	0.019	0.085	0.17	0	--	--	0.0040	L
Total nitrogen, unfiltered, in milligrams per liter	2011-2017	28	0	0.414	2.25	4.72	01/04/17	1.36	3.41	--	--	--	--	0.050	--
Total nitrogen, unfiltered, in milligrams per liter	2018-2019	12	0	0.894	2.10	4.57	01/31/19	1.13	4.00	--	--	--	--	0.050	--
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2008-2017	19	0	4	440	14,000	09/11/08	--	403 **	126	13	--	--	1	H
<i>Escherichia coli</i> , Defined Substrate Technology, in colonies per 100 milliliters	2018-2019	8	0	5	67	330	07/10/18	--	47 **	126	2	--	--	1	L
<i>Escherichia coli</i> , in colonies per 100 milliliters	2003-2008	19	0	90	660	22,000	07/14/05	--	1,485 **	126	16	--	--	1	H
Fecal coliform, M-FC MF, in colonies per 100 milliliters	2003-2008	17	0	45	400	31,000	08/11/05	159	19,600	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2008-2017	19	0	580	2,400	240,000	09/11/08	1,700	240,000	--	--	--	--	--	--
Total coliform, Defined Substrate Technology, in colonies per 100 milliliters	2018-2019	8	0	910	2,400	5,800	07/10/19	1,012	5,380	--	--	--	--	--	--
Aluminum, in micrograms per liter	2019	1	0	4.0	NC	4.0	03/11/19	NC	NC	--	--	.	--	--	--
Barium, in micrograms per liter	2019	1	0	57.0	NC	57.0	03/11/19	NC	NC	1,000	0	.	--	--	NC
Beryllium, in micrograms per liter	2019	1	0	0.0020	NC	0.0020	03/11/19	NC	NC	4.00	0	--	--	--	NC
Cadmium, in micrograms per liter	2019	1	0	0.006	NC	0.006	03/11/19	NC	NC	--	--	.	--	--	--
Cadmium, unfiltered, in micrograms per liter	2003-2008	24	0	0.039	0.35	3.3	07/14/05	0.062	1.8	--	--	.	--	0.014	--
Chromium, in micrograms per liter	2019	1	1	0 *	NC	0 *	03/11/19	NC	NC	--	--	.	--	--	--
Chromium, unfiltered, in micrograms per liter	2003-2008	24	0	0.54	8.0	49.1	07/14/05	0.63	22.1	--	--	.	--	0.40	--
Cobalt, in micrograms per liter	2019	1	0	0.21	NC	0.21	03/11/19	NC	NC	--	--	.	--	--	--
Copper, in micrograms per liter	2019	1	0	1.2	NC	1.2	03/11/19	NC	NC	--	--	.	--	--	--
Copper, unfiltered, in micrograms per liter	2003-2008	24	0	2.9	29.9	152	07/14/05	5.5	95.8	--	--	.	--	1.2	--
Iron, in micrograms per liter	2019	1	1	0 *	NC	0 *	03/11/19	NC	NC	300	0	.	--	10.0	NC
Iron, unfiltered, in micrograms per liter	2003-2008	24	0	927	17,070	130,300	07/14/05	1,287	79,820	1,000	22	.	--	6.0	H
Lead, in micrograms per liter	2019	1	0	0.020	NC	0.020	03/11/19	NC	NC	--	--	.	--	--	--
Lead, unfiltered, in micrograms per liter	2003-2008	24	0	1.2	25.1	214	07/14/05	2.3	126	--	--	50.0	8	0.060	--
Lithium, in micrograms per liter	2019	1	0	74.0	NC	74.0	03/11/19	NC	NC	--	--	--	--	--	--
Manganese, in micrograms per liter	2019	1	0	2.5	NC	2.5	03/11/19	NC	NC	50.0	0	.	--	0.20	NC
Manganese, unfiltered, in micrograms per liter	2003-2008	24	0	51.6	596	5,350	07/14/05	76.2	2,557	--	--	.	--	0.40	--
Mercury, unfiltered, in micrograms per liter	2003-2008	23	6	0 *	0.019	0.35	07/14/05	0 *	0.23	0.010	14	.	--	0.010	H
Molybdenum, in micrograms per liter	2019	1	0	1.60	NC	1.60	03/11/19	NC	NC	210	0	--	--	--	NC
Nickel, in micrograms per liter	2019	1	0	1.5	NC	1.5	03/11/19	NC	NC	--	--	.	--	--	--
Nickel, unfiltered, in micrograms per liter	2003-2008	24	0	4.4	17.4	93.6	07/14/05	5.4	50.9	100	0	.	--	0.12	L
Silver, unfiltered, in micrograms per liter	2003-2008	24	8	0 *	0.15	1.1	07/14/05	0 *	0.53	--	--	.	--	0.020	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Strontium, in micrograms per liter	2019	1	0	753	NC	753	03/11/19	NC	NC	--	--	--	--	--	--
Vanadium, in micrograms per liter	2019	1	0	1.20	NC	1.20	03/11/19	NC	NC	--	--	--	--	--	--
Zinc, in micrograms per liter	2019	1	0	1.1	NC	1.1	03/11/19	NC	NC	--	--	.	--	--	--
Zinc, unfiltered, in micrograms per liter	2003-2008	24	0	6.2	94.6	571	07/14/05	10.8	408	--	--	.	--	2.0	--
Antimony, in micrograms per liter	2019	1	0	0.270	NC	0.270	03/11/19	NC	NC	5.60	0	--	--	--	NC
Arsenic, unfiltered in micrograms per liter	2003-2008	24	0	2.1	5.9	18.6	07/14/05	2.6	12.6	10.0	5	.	--	0.60	M
Boron, in micrograms per liter	2019	1	0	59.0	NC	59.0	03/11/19	NC	NC	0.75	1	.	--	--	NC
Boron, unfiltered, in micrograms per liter	2003-2008	24	0	28.4	87.9	203	05/24/04	32.2	192	0.75	24	.	--	8.0	H
Selenium, in micrograms per liter	2010-2015	15	0	0.67	11.4	17.5	10/28/13	1.4	16.7	4.6	11	18.4	0	0.050	H
Selenium, in micrograms per liter	2019	1	0	13.5	NC	13.5	03/11/19	NC	NC	4.6	1	18.4	0	0.050	NC
Selenium, unfiltered, in micrograms per liter	2003-2013	31	0	1.3	4.6	13.3	10/17/12	2.4	6.4	--	--	.	--	0.050	--
1,4-Dichlorobenzene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.040	--
1,4-Dichlorobenzene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.22	--
1-Naphthol, in micrograms per liter	2010-2011	4	1	0 *	NC	0.016	07/08/10	NC	NC	--	--	--	--	0.036	--
2,4,6-Trichlorophenol, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.34	--
2,4-Dichlorophenol, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.062	09/14/11	NC	NC	--	--	--	--	0.36	--
2,4-Dimethylphenol, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.80	--
2,6-Diethylaniline, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
2-Chloro-2,6-diethylacetanilide, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
2-Chloro-4-isopropylamino-6-amino-s-triazine, in micrograms per liter	2010-2011	4	0	0.015	NC	0.043	07/06/11	NC	NC	--	--	--	--	0.0060	--
2-Ethyl-6-methylaniline, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
2-Methyl-4,6-dinitrophenol, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	2.0	--
3,4-Dichloroaniline, in micrograms per liter	2010-2011	4	1	0 *	NC	0.030	06/23/10	NC	NC	--	--	--	--	0.0042	--
3,5-Dichloroaniline, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0040	--
4-Chloro-2-methylphenol, in micrograms per liter	2010-2011	4	2	0 *	NC	0.0064	06/23/10	NC	NC	--	--	--	--	0.0046	--
4-Chloro-3-methylphenol, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.54	--
4-Nitrophenol, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.267	07/08/10	NC	NC	--	--	--	--	0.52	--
Acetochlor, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
Alachlor, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0080	--
Aldrin, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0016	09/14/11	NC	NC	--	--	--	--	0.0012	--
alpha-Endosulfan, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
alpha-Endosulfan, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0016	--
Atrazine, in micrograms per liter	2010-2011	4	0	0.012	NC	0.053	07/08/10	NC	NC	--	--	--	--	0.0080	--
Azinphos-methyl, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.12	--
Benfluralin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.014	--
Bromacil, in micrograms per liter	2010-2011	4	3	0 *	NC	0.110	09/14/11	NC	NC	--	--	--	--	0.36	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Camphor, in micrograms per liter	2010-2011	4	2	0 *	NC	0.180	09/14/11	NC	NC	--	--	--	--	0.044	--
Carbaryl, in micrograms per liter	2010-2011	4	1	0 *	NC	0.167	07/08/10	NC	NC	--	--	--	--	0.060	--
Carbazole, in micrograms per liter	2010-2011	4	0	0.010	NC	0.220	07/08/10	NC	NC	--	--	--	--	0.030	--
Carbofuran, in micrograms per liter	2010-2011	4	3	0 *	NC	0.025	07/06/11	NC	NC	--	--	--	--	0.060	--
Chlordane (technical), unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.10	--
Chlorpyrifos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0036	--
cis-Permethrin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
cis-Propiconazole, in micrograms per liter	2010-2011	4	3	0 *	NC	0.010	09/14/11	NC	NC	--	--	--	--	0.0080	--
Cyanazine, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.022	--
Cyfluthrin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.016	--
Cypermethrin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.020	--
DCPA, in micrograms per liter	2010-2011	4	2	0 *	NC	0.0024	07/06/11	NC	NC	--	--	--	--	0.0076	--
Desulfinylfipronil amide, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.029	--
Desulfinylfipronil, in micrograms per liter	2010-2011	4	1	0 *	NC	0.0099	07/06/11	NC	NC	--	--	--	--	0.012	--
Diazinon, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
Diazoxon, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
Dichlorvos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.040	--
Dicrotophos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.080	--
Dieldrin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0080	--
Dieldrin, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0010	--
Dimethoate, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
Disulfoton sulfone, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.014	--
Disulfoton, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.040	--
Endosulfan sulfate, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.016	--
Endrin, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0019	--
EPTC, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0056	--
Ethion monooxon, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.021	--
Ethion, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0080	--
Ethoprop, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.016	--
Fenamiphos sulfone, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.054	--
Fenamiphos sulfoxide, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.080	--
Fenamiphos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.030	--
Fipronil sulfide, in micrograms per liter	2010-2011	4	2	0 *	NC	0.0067	06/23/10	NC	NC	--	--	--	--	0.012	--
Fipronil sulfone, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0065	06/23/10	NC	NC	--	--	--	--	0.024	--
Fipronil, in micrograms per liter	2010-2011	4	2	0 *	NC	0.012	07/06/11	NC	NC	--	--	--	--	0.018	--
Fonofos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0048	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Heptachlor epoxide, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0010	--
Heptachlor, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0010	--
Hexachlorobenzene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.30	--
Hexazinone, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0080	--
Iprodione, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.014	--
Isofenphos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
lambda-Cyhalothrin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
Lindane, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0014	--
Malaoxon, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.022	--
Malathion, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.016	--
Metalaxyl, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.12	--
Metalaxyl, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.014	--
Methidathion, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.012	--
Methyl paraoxon, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.014	--
Methyl parathion, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0080	--
Metolachlor, filtered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.014	07/06/11	NC	NC	--	--	--	--	0.020	--
Metribuzin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.012	--
Mirex, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0011	--
Molinate, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0040	--
Myclobutanil, in micrograms per liter	2010-2011	4	3	0 *	NC	0.019	09/14/11	NC	NC	--	--	--	--	0.010	--
DEET, in micrograms per liter	2010-2011	4	0	0.019	NC	0.180	07/08/10	NC	NC	--	--	--	--	0.060	--
Oxyfluorfen, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
p,p-DDD, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0012	--
p,p-DDE, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0010	--
p,p-DDT, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0014	--
p,p-Methoxychlor, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0038	07/08/10	NC	NC	--	--	--	--	0.0020	--
p-Cresol, in micrograms per liter	2010-2011	4	2	0 *	NC	0.110	09/14/11	NC	NC	--	--	--	--	0.080	--
Pendimethalin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.012	--
Pentachlorophenol, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.089	07/08/10	NC	NC	--	--	--	--	0.60	--
Phorate, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.020	--
Phosmet, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.14	--
Prometon, in micrograms per liter	2010-2011	4	0	0.0078	NC	0.065	07/06/11	NC	NC	--	--	--	--	0.012	--
Prometryn, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
Propanil, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
Propargite, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.020	--
Propyzamide, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0036	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Simazine, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
Tebuconazole, in micrograms per liter	2010-2011	4	3	0 *	NC	0.012	09/14/11	NC	NC	--	--	--	--	0.020	--
Tebuthiuron, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.028	--
Tefluthrin, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
Terbufos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.018	--
Terbuthylazine, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.0060	--
Thiobencarb, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.016	--
Toxaphene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	1.0	--
trans-Propiconazole, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.010	--
Tribuphos, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.018	--
Trifluralin, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0019	07/06/11	NC	NC	--	--	--	--	0.018	--
PCBs, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.10	--
1,2,4-Trichlorobenzene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.26	--
1,2-Dichlorobenzene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.20	--
1,2-Diphenylhydrazine, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.30	--
1,3-Dichlorobenzene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.22	--
1-Methylnaphthalene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.022	--
2,4-Dinitrophenol, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.272	07/08/10	NC	NC	--	--	--	--	2.0	--
2,4-Dinitrotoluene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.56	--
2,6-Dimethylnaphthalene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.060	--
2,6-Dinitrotoluene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.40	--
2-Chloronaphthalene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.16	--
2-Chlorophenol, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.26	--
2-Methylnaphthalene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.036	--
2-Nitrophenol, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.40	--
3,3-Dichlorobenzidine, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.42	--
3-beta-Coprostanol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	1.8	--
3-Methyl-1H-indole, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.036	--
3-tert-Butyl-4-hydroxyanisole, in micrograms per liter	2010-2011	3	3	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.60	--
4-Bromophenyl phenyl ether, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.24	--
4-Chlorophenyl phenyl ether, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.34	--
4-Cumylphenol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.060	--
4-n-Octylphenol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.060	--
4-Nonylphenol (sum of all isomers), in micrograms per liter	2010-2011	4	3	0 *	NC	0.240	09/14/11	NC	NC	--	--	--	--	2.0	--
4-Nonylphenol diethoxylate (sum of all isomers), in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	5.0	--
4-tert-Octylphenol diethoxylate, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	1.0	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
4-tert-Octylphenol monoethoxylate, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	1.0	--
4-tert-Octylphenol, in micrograms per liter	2010-2011	4	3	0 *	NC	0.027	09/14/11	NC	NC	--	--	--	--	0.14	--
5-Methyl-1H-benzotriazole, in micrograms per liter	2010-2011	4	3	0 *	NC	0.400	06/23/10	NC	NC	--	--	--	--	1.2	--
9,10-Anthraquinone, in micrograms per liter	2010-2011	4	0	0.056	NC	1.00	07/08/10	NC	NC	--	--	--	--	0.16	--
9H-Fluorene, unfiltered, in micrograms per liter	2010-2011	4	0	0.0046	NC	0.019	09/14/11	NC	NC	--	--	--	--	0.34	--
Acenaphthene, unfiltered, in micrograms per liter	2010-2011	4	2	0 *	NC	0.012	09/14/11	NC	NC	--	--	--	--	0.28	--
Acenaphthylene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.30	--
Acetophenone, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.40	--
Acetyl hexamethyl tetrahydro naphthalene, in micrograms per liter	2010-2011	4	3	0 *	NC	0.011	06/23/10	NC	NC	--	--	--	--	0.028	--
Anthracene, filtered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0065	07/06/11	NC	NC	--	--	--	--	0.010	--
Anthracene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.053	07/08/10	NC	NC	--	--	--	--	0.38	--
Benzo[a]anthracene, unfiltered, in micrograms per liter	2010-2011	4	2	0 *	NC	0.218	09/14/11	NC	NC	--	--	--	--	0.26	--
Benzo[a]pyrene, in micrograms per liter	2010-2011	4	3	0 *	NC	0.400	07/08/10	NC	NC	--	--	--	--	0.018	--
Benzo[a]pyrene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.342	09/14/11	NC	NC	--	--	--	--	0.32	--
Benzo[b]fluoranthene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.468	09/14/11	NC	NC	--	--	--	--	0.30	--
Benzo[ghi]perylene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.275	09/14/11	NC	NC	--	--	--	--	0.38	--
Benzo[k]fluoranthene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.191	09/14/11	NC	NC	--	--	--	--	0.30	--
Benzophenone, in micrograms per liter	2010-2011	4	0	0.018	NC	0.270	06/23/10	NC	NC	--	--	--	--	0.080	--
Benzyl n-butyl phthalate, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	1.8	--
beta-Sitosterol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	4.0	--
beta-Stigmastanol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	2.6	--
Bis(2-chloroethoxy)methane, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.24	--
Bis(2-chloroethyl) ether, unfiltered in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.30	--
Bis(2-chloroisopropyl) ether, unfiltered, in micrograms per liter	2010-2011	4	2	0 *	NC	0.062	09/14/11	NC	NC	--	--	--	--	0.14	--
Bis(2-ethylhexyl) phthalate, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	2.6	--
Caffeine, in micrograms per liter	2010-2011	4	2	0 *	NC	0.150	06/23/10	NC	NC	--	--	--	--	0.060	--
Cholesterol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	2.0	--
Chrysene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.374	07/08/10	NC	NC	--	--	--	--	0.32	--
Cotinine, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.80	--
Dibenzo[a,h]anthracene, unfiltered, in micrograms per liter	2010-2011	4	2	0 *	NC	0.070	09/14/11	NC	NC	--	--	--	--	0.42	--
Diethyl phthalate, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.62	--
Dimethyl phthalate, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.033	07/08/10	NC	NC	--	--	--	--	0.36	--
Di-n-butyl phthalate, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	2.0	--
Di-n-octyl phthalate, unfiltered, in micrograms per liter	2010-2011	4	2	0 *	NC	0.125	07/08/10	NC	NC	--	--	--	--	0.60	--
D-Limonene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.080	--
Fluoranthene, in micrograms per liter	2010-2011	4	0	0.018	NC	0.820	07/08/10	NC	NC	--	--	--	--	0.024	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Fluoranthene, unfiltered, in micrograms per liter	2010-2011	4	0	0.033	NC	0.624	07/08/10	NC	NC	--	--	--	--	0.30	--
Hexachlorobutadiene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.24	--
Hexachlorocyclopentadiene, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.50	--
Hexachloroethane, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.24	--
Hexahydrohexamethyl cyclopentabenzopyran, in micrograms per liter	2010-2011	4	1	0 *	NC	0.170	07/08/10	NC	NC	--	--	--	--	0.052	--
Indeno[1,2,3-cd]pyrene, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.242	09/14/11	NC	NC	--	--	--	--	0.38	--
Indole, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0093	07/06/11	NC	NC	--	--	--	--	0.080	--
Isoborneol, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.080	--
Isophorone, in micrograms per liter	2010-2011	4	1	0 *	NC	0.052	09/14/11	NC	NC	--	--	--	--	0.032	--
Isophorone, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.094	06/23/10	NC	NC	--	--	--	--	0.26	--
Isopropylbenzene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.30	--
Isoquinoline, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.046	--
Menthol, in micrograms per liter	2010-2011	4	3	0 *	NC	0.380	07/08/10	NC	NC	--	--	--	--	0.32	--
Methyl salicylate, in micrograms per liter	2010-2011	4	1	0 *	NC	0.310	07/08/10	NC	NC	--	--	--	--	0.044	--
Naphthalene, in micrograms per liter	2010-2011	4	3	0 *	NC	0.013	09/14/11	NC	NC	--	--	--	--	0.040	--
Naphthalene, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.014	07/08/10	NC	NC	--	--	--	--	0.22	--
Nitrobenzene, unfiltered, in micrograms per liter	2010-2011	4	3	0 *	NC	0.033	07/08/10	NC	NC	--	--	--	--	0.26	--
N-Nitrosodimethylamine, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.24	--
N-Nitrosodi-n-propylamine, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.40	--
N-Nitrosodiphenylamine, unfiltered, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.28	--
Organic carbon, in milligrams per liter	2019	1	0	2.9	NC	2.9	03/11/19	NC	NC	--	--	.	--	0.23	--
Phenanthrene, in micrograms per liter	2010-2011	4	0	0.011	NC	0.180	07/08/10	NC	NC	--	--	--	--	0.016	--
Phenanthrene, unfiltered, in micrograms per liter	2010-2011	4	0	0.012	NC	0.195	07/08/10	NC	NC	--	--	--	--	0.32	--
Phenol, in micrograms per liter	2010-2011	4	3	0 *	NC	0.160	09/14/11	NC	NC	--	--	--	--	0.16	--
Phenol, unfiltered, in micrograms per liter	2010-2011	4	1	0 *	NC	0.118	09/14/11	NC	NC	--	--	--	--	0.28	--
Pyrene, in micrograms per liter	2010-2011	4	0	0.011	NC	0.650	07/08/10	NC	NC	--	--	--	--	0.042	--
Pyrene, unfiltered, in micrograms per liter	2010-2011	4	0	0.025	NC	0.445	07/08/10	NC	NC	--	--	--	--	0.36	--
Tetrachloroethene, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.12	--
Tribromomethane, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.10	--
Tributyl phosphate, in micrograms per liter	2010-2011	4	3	0 *	NC	0.170	06/23/10	NC	NC	--	--	--	--	0.16	--
Triclosan, in micrograms per liter	2010-2011	4	4	0 *	NC	0 *	06/23/10	NC	NC	--	--	--	--	0.20	--
Triethyl citrate, in micrograms per liter	2010-2011	4	3	0 *	NC	0.037	06/23/10	NC	NC	--	--	--	--	0.16	--
Triphenyl phosphate, in micrograms per liter	2010-2011	4	3	0 *	NC	0.0064	06/23/10	NC	NC	--	--	--	--	0.12	--
Tris(2-butoxyethyl) phosphate, in micrograms per liter	2010-2011	4	3	0 *	NC	1.40	06/23/10	NC	NC	--	--	--	--	0.80	--
Tris(2-chloroethyl) phosphate, in micrograms per liter	2010-2011	4	0	0.070	NC	0.400	07/08/10	NC	NC	--	--	--	--	0.10	--
Tris(dichloroisopropyl) phosphate, in micrograms per liter	2010-2011	4	1	0 *	NC	0.340	06/23/10	NC	NC	--	--	--	--	0.16	--

Table 29. Summary of measured constituents and properties for Sand Creek above mouth at Colorado Springs, Co., station 07105600

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli*, pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Uranium (natural), in micrograms per liter	2019	1	0	38.8	NC	38.8	03/11/19	NC	NC	30.0	1	.	--	0.030	NC
Suspended sediment, in milligrams per liter	2003-2013	130	1	0 *	219	13,353	07/14/05	67	2,081	--	--	--	--	1.0	--