Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Instantaneous discharge, in cubic feet per second	1990-2012	238	1	0 *	425	4,310	06/02/03	309	1,341	--	--	.	--	--	--
Instantaneous discharge, in cubic feet per second	2013-2014	9	0	153	388	2,820	05/28/14	237	2,310	--	--	.	--	--	--
Dissolved oxygen, in milligrams per liter	1990-2012	99	0	7.6	9.8	13.3	11/16/00	8.3	11.3	6.0	0	--	--	--	L
Dissolved oxygen, in milligrams per liter	2013-2014	9	0	8.2	9.7	11.5	11/20/13	8.3	11.2	6.0	0	--	--	--	L
pH, in standard units	1990-2012	106	0	7.7	8.4	8.8	05/23/02	8.2	8.6	6.5-9.0	0		--	--	L
pH, in standard units	2013-2014	9	0	8.0	8.4	8.8	04/23/13	8.1	8.7	6.5-9.0	0		--	--	L
Specific conductance, laboratory, in microsiemens per centimeter	1990-2009	40	0	256	543	859	09/10/02	301	700	--	--	.	--	1.0	--
Specific conductance, laboratory, in microsiemens per centimeter	2014	1	0	488	NC	488	11/20/13	NC	NC	--	--	.	--	5.0	--
Specific conductance, in microsiemens per centimeter	1990-2012	237	0	245	540	893	06/25/02	349	640	--	--	.	--	--	--
Specific conductance, in microsiemens per centimeter	2013-2014	9	0	269	543	682	08/29/13	283	627	--	--	.	--	--	--
Temperature, water, degrees Celsius	1990-2012	235	0	-0.1	10.0	25.5	07/18/02	1.8	16.5	--	--	--	--	--	--
Temperature, water, degrees Celsius	2013-2014	9	0	4.5	11.8	18.6	08/29/13	5.2	17.9	--	--	--	--	--	--
Temperature, water, degrees Celsius April-October	1990-2012	157	0	4.5	12.4	25.5	07/18/02	8.5	17.8	18.3	18	--	--	--	L
Temperature, water, degrees Celsius April-October	2013-2014	7	0	10.2	14.4	18.6	08/29/13	10.3	18.3	18.3	1	--	--	--	H
Temperature, water, degrees Celsius November-March	1990-2012	78	0	-0.1	2.2	9.8	03/19/97	0.0	6.4	9.0	2	--	--	--	L
Temperature, water, degrees Celsius November-March	2014	2	0	4.5	NC	6.0	03/25/14	NC	NC	9.0	0	--	--	--	NC
Biochemical oxygen demand, unfiltered, 20 days at 20 degrees Celsius, in milligrams per liter	1991	3	0	2.20	NC	4.40	06/20/91	NC	NC	--	--	--	--	--	--
Biochemical oxygen demand, unfiltered, 5 days at 20 degrees Celsius, in milligrams per liter	1991-2010	68	55	0 *	0 *	6.4	09/17/07	0 *	1.4	--	--	.	--	--	--
Residue, in milligrams per liter	1995-2012	23	0	153	330	476	03/26/08	197	374	--	--	.	--	20.0	--
Residue, in milligrams per liter	2013-2014	6	0	173	316	383	10/16/12	173	383	--	--	.	--	20.0	--
Dissolved solids, sum of constituents, in milligrams per liter	1990-2012	46	0	147	334	588	09/10/02	209	437	--	--	.	--	--	--
Dissolved solids, sum of constituents, in milligrams per liter	2013-2014	9	0	153	358	455	08/29/13	172	415	--	--	.	--	--	--
Hardness, in milligrams per liter	1990-2012	67	0	120	246	422	09/10/02	151	313	--	--	.	--	--	--
Hardness, in milligrams per liter	2013-2014	9	0	122	269	331	08/29/13	138	310	--	--	.	--	--	--
Residue (total), in milligrams per liter	2008-2012	17	9	0 *	0 *	72.0	06/14/11	0 *	45.0	--	--	.	--	15.0	--
Residue (total), in milligrams per liter	2013	2	1	0 *	NC	35.0	06/11/13	NC	NC	--	--	.	--	15.0	--
Turbidity, unfiltered, laboratory, in nephelometric turbidity units	2002	2	0	3.10	NC	3.34	09/10/02	NC	NC	--	--	--	--	0.10	--
Calcium, in milligrams per liter	1990-2012	67	0	34.1	68.4	107	09/10/02	43.2	83.0	--	--	.	--	0.022	--
Calcium, in milligrams per liter	2013-2014	9	0	36.3	74.5	87.4	08/29/13	39.9	84.7	--	--	.	--	0.022	--
Magnesium, in milligrams per liter	1990-2012	67	0	8.0	18.0	37.5	09/10/02	10.2	25.5	--	--	.	--	0.011	--
Magnesium, in milligrams per liter	2013-2014	9	0	7.5	19.6	27.2	08/29/13	9.3	24.2	--	--	.	--	0.011	--
Potassium, in milligrams per liter	1990-2012	46	0	0.80	1.3	3.2	03/13/12	1.0	1.7	--	--	.	--	0.030	--
Potassium, in milligrams per liter	2013-2014	9	0	0.79	1.3	1.9	08/29/13	0.87	1.6	--	--	.	--	0.030	--
Sodium, in milligrams per liter	1990-2012	46	0	3.5	14.4	38.8	09/10/02	7.9	23.0	--	--	.	--	0.060	--
Sodium, in milligrams per liter	2013-2014	9	0	3.8	13.7	25.1	08/29/13	5.1	22.1	--	--	.	--	0.060	--

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Acid neutralizing capacity, in milligrams per liter	1990-1996	20	0	104	147	224	09/05/90	114	183	--	--	.	--	--	--
Alkalinity, fixed endpoint titration, in milligrams per liter as calcium carbonate	2002	2	0	231	NC	245	09/10/02	NC	NC	--	--	.	--	1.0	--
Alkalinity, fixed endpoint titration, in milligrams per liter as calcium carbonate	2013	1	0	112	NC	112	06/11/13	NC	NC	--	--	.	--	4.6	--
Alkalinity, inflection-point titration in milligrams per liter as calcium carbonate	2008-2012	25	0	98.7	135	211	08/28/12	115	154	--	--	.	--	--	--
Alkalinity, inflection-point titration in milligrams per liter as calcium carbonate	2013-2014	8	0	98.1	140	188	08/29/13	111	184	--	--	.	--	--	--
Bicarbonate, inflection-point titration in milligrams per liter	2008-2012	25	0	118	162	252	08/28/12	138	183	--	--	.	--	--	--
Bicarbonate, inflection-point titration in milligrams per liter	2013-2014	8	0	118	168	222	08/29/13	132	218	--	--	.	--	--	--
Bromide, in micrograms per liter	2014	4	3	0 *	NC	0.024	11/20/13	NC	NC	--	--	--	--	0.030	--
Carbonate, in milligrams per liter	2008-2012	25	0	0.90	1.8	3.9	07/12/12	1.1	2.6	--	--	.	--	--	--
Carbonate, in milligrams per liter	2013-2014	8	0	0.80	2.2	3.9	04/23/13	0.87	3.8	--	--	.	--	--	--
Chloride, in milligrams per liter	1990-2012	81	0	1.1	5.8	13.0	09/10/02	2.1	8.6	250	0	.	--	0.060	L
Chloride, in milligrams per liter	2013-2014	9	0	1.3	5.5	10.0	08/29/13	1.6	8.5	250	0	.	--	0.020	L
Fluoride, in milligrams per liter	1990-2012	47	2	0 *	0.19	0.36	09/10/02	0.10	0.22	2.0	0	.	--	0.040	L
Fluoride, in milligrams per liter	2013-2014	9	0	0.087	0.17	0.27	08/29/13	0.10	0.25	2.0	0	.	--	0.010	L
Silica, in milligrams per liter	1990-2012	46	0	11.0	14.2	17.2	02/23/10	12.1	16.0	--	--	.	--	0.018	--
Silica, in milligrams per liter	2013-2014	9	0	11.1	13.8	15.2	11/20/13	11.9	14.8	--	--	.	--	0.018	--
Sulfate, in milligrams per liter	1990-2012	47	0	26.5	120	224	09/10/02	56.5	178	250	0	.	--	0.090	M
Sulfate, in milligrams per liter	2013-2014	9	0	32.4	126	177	08/29/13	39.2	166	250	0	.	--	0.020	M
Ammonia plus organic nitrogen, in milligrams per liter as N	1990-2001	42	17	0 *	0.125	0.500	09/05/90	0 *	0.266	--	--	--	--	--	--
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter as N	1991-2012	93	8	0 *	0.300	3.61	09/17/07	0.142	0.537	--	--	--	--	0.070	--
Ammonia plus organic nitrogen, unfiltered, in milligrams per liter as N	2013-2014	8	0	0.152	0.308	0.711	05/28/14	0.169	0.688	--	--	--	--	0.070	--
Ammonia, in milligrams per liter as N	1990-2012	93	64	0 *	0 *	0.112	05/11/98	0 *	0.023	1.29	0	2.81	0	0.010	L
Ammonia, in milligrams per liter as N	2013-2014	8	8	0 *	0 *	0 *	10/16/12	0 *	0 *	1.39	0	3.08	0	0.010	L
Ammonia, unfiltered, in milligrams per liter	1991-1992	6	2	0 *	0.025	0.050	06/16/92	0 *	0.049	--	--	--	--	--	--
Nitrite plus nitrate, in milligrams per liter as N	1990-2012	94	50	0 *	0 *	0.200	02/06/91	0 *	0.100	10.0	0	--	--	0.040	L
Nitrite plus nitrate, in milligrams per liter as N	2013-2014	8	7	0 *	0 *	0.135	05/28/14	0 *	0.088	10.0	0	--	--	0.010	L
Nitrate plus nitrite, unfiltered, in milligrams per liter as N'	1991-1992	6	4	0 *	0 *	0.240	03/11/92	0 *	0.238	--	--	--	--	--	--
Nitrite, in milligrams per liter as N	1990-2012	94	70	0 *	0 *	0.020	06/28/95	0 *	0.002	0.05	0	--	--	0.0010	L
Nitrite, in milligrams per liter as N	2013-2014	8	6	0 *	0 *	0.001	05/28/14	0 *	0.001	0.05	0	--	--	0.0010	L
Nitrite, unfiltered, in milligrams per liter as N	1991-1992	6	6	0 *	0 *	0 *	02/06/91	0 *	0 *	--	--	--	--	--	--
Orthophosphate, in milligrams per liter as P	1990-2012	94	32	0 *	0.010	0.043	02/17/03	0 *	0.020	--	--	--	--	0.0040	--
Orthophosphate, in milligrams per liter as P	2013-2014	8	1	0 *	0.008	0.017	06/11/13	0.002	0.017	--	--	--	--	0.0040	--
Orthophosphate, unfiltered, in milligrams per liter as P	1991-1992	6	1	0 *	0.020	0.020	02/06/91	0.001	0.020	--	--	--	--	--	--
Phosphorus, in milligrams per liter as P	1990-2001	42	18	0 *	0.008	0.040	09/05/90	0 *	0.023	--	--	--	--	--	--

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Phosphorus, unfiltered, in milligrams per liter as P	1991-2012	94	10	0 *	0.042	1.07	09/17/07	0.011	0.101	0.11	12	--	--	0.0040	L
Phosphorus, unfiltered, in milligrams per liter as P	2013-2014	8	0	0.019	0.038	0.226	05/28/14	0.020	0.188	0.11	2	--	--	0.0040	L
Total nitrogen, unfiltered, in milligrams per liter	2004	1	0	0.200	NC	0.200	10/21/03	NC	NC	--	--	--	--	0.030	--
Escherichia coli, in colonies per 100 milliliters	2004-2012	38	0	1	22	2,900	09/17/07	--	19 **	--	--	--	--	1	--
Escherichia coli, in colonies per 100 milliliters	2013-2014	8	0	1	36	330	05/28/14	--	25 **	--	--	--	--	1	--
Escherichia coli, in colonies per 100 milliliters December-February	2005-2012	6	0	1	3	27	12/14/11	--	4 **	205	0	--	--	1	L
Escherichia coli, in colonies per 100 milliliters March-November	2004-2012	32	0	1	24	2,900	09/17/07	--	25 **	126	4	--	--	1	L
Escherichia coli, in colonies per 100 milliliters March-November	2013-2014	8	0	1	36	330	05/28/14	--	25 **	126	2	--	--	1	L
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters	1991-2004	22	2	1	20	120	07/31/01	--	15 **	--	--	--	--	1	--
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters December-February	1991-2003	2	0	1	NC	10	02/17/03	--	NC**	205	0	--	--	1	NC
Escherichia coli, m-TEC, MF, in colonies per 100 milliliters March-November	1991-2004	20	2	1	23	120	07/31/01	--	17 **	126	0	--	--	1	L
Fecal coliform, M-FC MF, in colonies per 100 milliliters	1991-2000	37	2	0 *	45	480	05/26/00	4	179	--	--	--	--	--	--
Fecal streptococci, in colonies per 100 milliliters	1991	1	0	32	NC	32	02/06/91	NC	NC	--	--	--	--	--	--
Aluminum, in micrograms per liter	1995-2012	48	21	0 *	1.3	30.0	06/28/95	0 *	8.5	1,438	0	10,071	0	2.2	L
Aluminum, in micrograms per liter	2013-2014	6	1	0 *	17.4	41.4	08/06/14	0.13	41.4	1,438	0	10,071	0	2.2	L
Aluminum, unfiltered, in micrograms per liter	1995-2002	17	1	0 *	124	2,476	05/26/00	49.3	1,133	1,438	2	10,071	0	28.0	L
Barium, in micrograms per liter	2008-2012	17	0	18.6	24.5	32.4	04/23/08	20.5	29.1	1,000	0	.	--	0.070	L
Barium, in micrograms per liter	2013-2014	6	0	20.1	24.3	27.3	10/16/12	20.1	27.3	1,000	0	.	--	0.25	L
Barium, unfiltered, in micrograms per liter	1995-2002	18	10	0 *	0 *	469	08/13/98	0 *	56.7	--	--	.	--	1.0	--
Beryllium, in micrograms per liter	2008-2012	17	17	0 *	0 *	0 *	10/17/07	0 *	0 *	4.00	0	--	--	0.0060	L
Beryllium, in micrograms per liter	2013-2014	6	6	0 *	0 *	0 *	10/16/12	0 *	0 *	4.00	0	--	--	0.020	L
Beryllium, unfiltered, in micrograms per liter	1995-2002	18	18	0 *	0 *	0 *	03/24/95	0 *	0 *	--	--	--	--	2.5	--
Cadmium, in micrograms per liter	1991-2012	35	30	0 *	0 *	0.23	07/30/02	0 *	0.007	0.84	0	3.8	0	0.016	L
Cadmium, in micrograms per liter	2013-2014	6	6	0 *	0 *	0 *	10/16/12	0 *	0 *	0.84	0	3.8	0	0.030	L
Cadmium, unfiltered, in micrograms per liter	1995-2002	18	17	0 *	0 *	0.064	05/26/00	0 *	0 *	--	--	.	--	0.12	--
Chromium, in micrograms per liter	2008-2012	17	0	0.087	0.15	0.20	12/14/11	0.10	0.18	--	--	.	--	0.070	--
Chromium, in micrograms per liter	2013-2014	6	5	0 *	0 *	0.10	10/16/12	0 *	0.098	--	--	.	--	0.30	--
Chromium, unfiltered, in micrograms per liter	1995-2002	18	12	0 *	0 *	3.1	05/26/00	0 *	2.2	--	--	.	--	0.80	--
Cobalt, in micrograms per liter	2008-2012	16	0	0.077	0.15	0.93	06/14/11	0.095	0.68	--	--	.	--	0.021	--
Cobalt, in micrograms per liter	2013-2014	6	0	0.16	0.20	0.31	11/20/13	0.16	0.31	--	--	.	--	0.050	--
Cobalt, unfiltered, in micrograms per liter	1995-2002	18	15	0 *	0 *	1.7	05/26/00	0 *	1.1	--	--	.	--	1.8	--
Copper, in micrograms per liter	1991-2012	35	12	0 *	0.61	78.1	09/12/05	0 *	1.3	19.5	2	31.7	2	0.80	L
Copper, in micrograms per liter	2013-2014	6	4	0 *	0 *	1.4	08/06/14	0 *	1.4	19.5	0	31.7	0	0.80	L
Copper, unfiltered, in micrograms per liter	1995-2002	18	5	0 *	1.2	5.0	05/26/00	0 *	3.3	--	--	.	--	1.2	--
Iron, in micrograms per liter	1995-2012	35	1	0 *	15.2	65.1	08/06/03	7.6	23.9	300	0	.	--	3.2	L

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Iron, in micrograms per liter	2013-2014	6	0	5.7	33.9	75.1	11/20/13	6.0	74.4	300	0	.	--	4.0	L
Iron, unfiltered, in micrograms per liter	1991-2002	24	0	60.0	185	3,309	05/26/00	79.8	1,026	1,000	3	.	--	12.0	L
Lead, in micrograms per liter	1991-2012	36	28	0 *	0 *	1.1	06/07/05	0 *	0.062	6.7	0	171	0	0.025	L
Lead, in micrograms per liter	2013-2014	6	4	0 *	0 *	0.089	08/06/14	0 *	0.087	6.7	0	171	0	0.040	L
Lead, unfiltered, in micrograms per liter	1995-2002	18	15	0 *	0 *	2.6	05/26/00	0 *	1.1	--	--	.	--	1.0	--
Lithium, in micrograms per liter	2008-2012	17	0	2.06	5.61	13.8	03/26/08	4.12	8.10	--	--	--	--	0.22	--
Lithium, in micrograms per liter	2013-2014	6	0	2.31	5.83	8.95	10/16/12	2.35	8.87	--	--	--	--	0.22	--
Lithium, unfiltered, in micrograms per liter	1995-2002	18	7	0 *	5.67	20.0	06/28/95	0 *	17.2	--	--	--	--	4.4	--
Manganese, in micrograms per liter	1991-2012	41	0	6.6	13.5	57.9	09/17/07	10.0	24.8	50.0	1	.	--	0.13	L
Manganese, in micrograms per liter	2013-2014	6	0	10.0	15.0	24.3	08/06/14	10.0	24.3	50.0	0	.	--	0.40	L
Manganese, unfiltered, in micrograms per liter	1991-2002	24	2	0 *	30.0	128	05/26/00	13.7	61.4	--	--	.	--	2.4	--
Mercury, in micrograms per liter	1991-2012	23	21	0 *	0 *	0.006	06/10/08	0 *	0 *	--	--	.	--	0.0050	--
Mercury, in micrograms per liter	2013	2	2	0 *	NC	0 *	10/16/12	NC	NC	--	--	.	--	0.0050	--
Molybdenum, in micrograms per liter	2008-2012	17	0	0.576	1.13	1.38	09/29/09	0.679	1.34	210	0	--	--	0.014	L
Molybdenum, in micrograms per liter	2013-2014	6	0	0.568	1.21	1.63	10/16/12	0.578	1.61	210	0	--	--	0.050	L
Molybdenum, unfiltered, in micrograms per liter	1995-2002	18	8	0 *	1.15	2.20	03/25/96	0 *	1.92	160	0	--	--	1.8	L
Nickel, in micrograms per liter	2008-2012	16	0	0.46	0.69	1.4	11/18/09	0.54	1.1	112	0	1,011	0	0.090	L
Nickel, in micrograms per liter	2013-2014	6	0	0.61	0.85	1.4	08/06/14	0.61	1.4	112	0	1,011	0	0.20	L
Nickel, unfiltered, in micrograms per liter	1995-2002	18	9	0 *	0.50	7.1	05/26/00	0 *	3.7	--	--	.	--	2.0	--
Silver, in micrograms per liter	1991-2012	36	34	0 *	0 *	0.007	06/14/11	0 *	0 *	0.36	0	9.7	0	0.0050	L
Silver, in micrograms per liter	2013-2014	6	6	0 *	0 *	0 *	10/16/12	0 *	0 *	0.36	0	9.7	0	0.020	L
Strontium, in micrograms per liter	2008-2012	25	0	225	624	852	08/28/12	356	715	--	--	--	--	0.20	--
Strontium, in micrograms per liter	2013-2014	9	0	254	702	832	08/29/13	284	828	--	--	--	--	0.80	--
Strontium, unfiltered, in micrograms per liter	1995-2002	18	0	239	619	942	06/25/02	272	766	--	--	--	--	1.1	--
Vanadium, in micrograms per liter	2008-2012	17	0	0.956	1.15	1.31	08/07/08	1.01	1.27	--	--	--	--	0.080	--
Vanadium, in micrograms per liter	2013-2014	6	0	1.12	1.28	1.47	08/06/14	1.12	1.46	--	--	--	--	0.080	--
Zinc, in micrograms per liter	1991-2012	36	21	0 *	0 *	40.9	09/12/05	0 *	3.2	277	0	366	0	1.4	L
Zinc, in micrograms per liter	2013-2014	6	6	0 *	0 *	0 *	10/16/12	0 *	0 *	277	0	366	0	2.0	L
Zinc, unfiltered, in micrograms per liter	1995-2002	18	16	0 *	0 *	21.6	05/27/99	0 *	1.5	--	--	.	--	25.0	--
Antimony, in micrograms per liter	2008-2012	16	6	0 *	0.038	0.118	12/14/11	0 *	0.092	5.60	0	--	--	0.027	L
Antimony, in micrograms per liter	2013-2014	6	0	0.041	0.051	0.066	10/16/12	0.041	0.065	5.60	0	--	--	0.027	L
Arsenic, in micrograms per liter	2008-2012	17	0	0.40	0.51	0.66	07/23/09	0.45	0.63	150	0	340	0	0.030	L
Arsenic, in micrograms per liter	2013-2014	6	0	0.47	0.51	0.65	08/06/14	0.47	0.65	150	0	340	0	0.10	L
Arsenic, unfiltered in micrograms per liter	1995-2002	18	15	0 *	0 *	1.4	05/26/00	0 *	0.92	0.020	3	.	--	1.9	L
Boron, in micrograms per liter	1995-2012	42	3	0 *	19.1	60.5	09/13/11	11.1	39.0	750	0	.	--	3.0	L
Boron, in micrograms per liter	2013-2014	9	0	10.0	19.9	34.7	08/29/13	10.4	30.9	750	0	.	--	5.0	L

Table 10. Summary of measured constituents and properties for White River below Meeker, Co., station 09304800

[--, no data or not applicable; L, low; M, medium; H, high; LRL, Lab Reporting Level; *, value is censored, see Definition of Terms for censored value replacement rules; NC, percentiles and medians not calculated or Level of Concern not computed; **, Geometric mean; see Definition of Terms for explanation of standards, exceedances, and concern levels for dissolved oxygen, *Escherichia coli,* pH, and water temperature]

Constituent or property	Period (water years)	Number of samples	Number of censored values	Minimum	Median	Maximum	Date of Maximum	15th percentile	85th percentile	Chronic standard or standard	Number of exceedances of chronic standard or standard	Acute standard or standard	Number of exceedances of acute standard or standard	LRL	Level of concern
Selenium, in micrograms per liter	1991-2012	41	19	0 *	0.36	2.0	03/25/96	0 *	1.0	4.6	0	18.4	0	0.030	L
Selenium, in micrograms per liter	2013-2014	6	0	0.26	0.43	0.78	03/25/14	0.27	0.77	4.6	0	18.4	0	0.050	L
Benzene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	2.2	0	.	--	0.10	NC
Ethylbenzene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	530	0	.	--	0.10	NC
Methyl tert-butyl ether, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	--	--	0.20	--
m-Xylene plus p-xylene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	.	--	0.20	--
Organic carbon, in milligrams per liter	2002-2012	27	0	1.0	2.5	6.6	09/10/02	1.5	4.4	--	--	.	--	0.23	--
Organic carbon, in milligrams per liter	2013-2014	9	0	1.5	2.3	4.3	05/28/14	1.6	4.1	--	--	.	--	0.23	--
o-Xylene, unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	.	--	0.10	--
Toluene,unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	--	--	.	--	0.10	--
Xylene (all isomers), unfiltered, in micrograms per liter	2008-2009	4	4	0 *	NC	0 *	03/26/08	NC	NC	1,400	0	--	--	0.20	NC
Uranium (natural), in micrograms per liter	2008-2012	17	0	0.47	1.2	1.7	03/26/08	0.68	1.4	30.0	0	.	--	0.0040	L
Uranium (natural), in micrograms per liter	2013-2014	6	0	0.48	1.0	1.5	10/16/12	0.49	1.5	30.0	0	.	--	0.014	L
Suspended sediment, sieve diameter, percent smaller than 0.0625 millimeters	1990-2010	15	0	43.0	85.6	99.9	09/17/07	58.4	95.1	--	--	--	--	1.0	--
Suspended sediment, sieve diameter, percent smaller than 0.0625 millimeters	2014	1	0	60.0	NC	60.0	05/28/14	NC	NC	--	--	--	--	1.0	--
Suspended sediment, in milligrams per liter	1990-2012	69	0	2	29	2,689	09/17/07	8	94	--	--	--	--	1.0	--
Suspended sediment, in milligrams per liter	2013-2014	9	0	4	14	177	05/28/14	6	122	--	--	--	--	1.0	--